Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 _____ (Day) _____ (Date) _____ (Month), 19

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9 I DATE THURSDAY (Day) 1 (Date) AUGUST (Month), 1963

AT/~~PASSAGE FROM~~ NAHA, OKINAWA TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	SCT	2983	83	79	3	1400	Sc			
02	—	—	10	SCT	2983	83	79	3	1400	Sc			
03	—	—	10	SCT	2983	83	79	3	1400	Sc			
04	—	—	10	SCT	2983	84	80	4	1400	Sc			
05	200	1	10	SCT	2983	84	80	5	1400	Sc			
06	220	1	10	BKN	2983	84	80	6	1400	Sc			
07	230	2	10	BKN	2983	84	80	7	1400	Sc			
08	250	4	10	BKN	2984	84	80	8	1400	CU			
09	270	3	10	BKN	2985	84	80	8	1400	CU			
10	270	3	10	BKN	2985	84	80	8	1400	CU			
11	265	2	10	BKN	2985	84	80	9	1400	ST			
12	270	2	10	OVC	2986	83	80	10	1000	ST			
13	250	2	10	OVC	2986	83	80	10	1000	ST			
14	210	5	10	BKN	2986	83	80	9	1000	ST			
15	210	5	10	BKN	2986	83	80	8	1000	ST			
16	020	4	10	BKN	2984	83	80	7	1000	Sc			
17	020	3	10	BKN	2983	86	83	7	1000	Sc			
18	020	3	10	BKN	2982	92	83	7	3000	Sc			
19	020	2	10	BKN	2982	92	83	6	3000	Sc			
20	020	2	10	BKN	2982	90	83	6	2500	Sc			
21	020	2	10	BKN	2982	89	83	5	2100	Sc			
22	020	1	10	BKN	2982	88	84	6	1400	Sc			
23	020	1	10	SCT	2982	88	84	5	1400	Sc			
24	020	1	10	SCT	2982	87	84	5	1000	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

472

REMARKS

00-04 moored port side to berth TEN (10) NAHA, OKINAWA with standard mooring lines doubled. ~~At~~ Material Condition YOKE (modified) set. Ships present include various U.S. Army units and various merchantmen. SOPA is ~~Comfleetsea~~ COMPATFOR SEVENTHFLT in YSS pine Island (AV-12). 24H

J.D. Hallis. CWO-2, USN

04-08 moored as before: 0745 musters the crew at quarters. Absentees: none.

J.D. Hallis. CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: P.S. Rosa, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Thursday (Day) 1 (Date) August (Month), 19 63

08-12 Moored as before. Made daily inspection of magazine and Smokeless powder samples, conditions normal
LM Turner Eng USN

12-16 Moored as before
LM Turner Eng USN

16-20 Moored as before. 1800 Set material Condition modified Yoke.
LM Turner Eng USN

20-24 Moored as before
LM Turner Eng USN

APPROVED: C C Bud Lt U.S.N. COMMANDING

EXAMINED: D D Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9I DATE FRIDAY (Day) 2 (Date) AUGUST (Month), 19 63

AT/~~PASSAGE~~ FROM NAHA OKINAWA ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	020	1	7	SCT	2984	87	83	5	1000	Sc			
02	020	1	7	SCT	2984	86	83	5	1000	Sc			
03	020	1	7	SCT	2984	86	83	5	1000	Sc			
04	020	1	7	SCT	2984	85	83	5	1000	Sc			
05	020	1	7	SCT	2983	83	80	5	1000	CU			
06	060	2	7	SCT	2983	83	80	5	1000	CU			
07	030	2	7	SCT	2983	83	80	5	1000	CU			
08	040	2	10	SCT	2983	84	81	5	1000	CU			
09	040	3	10	SCT	2984	85	82	5	1000	CU			
10	050	2	10	SCT	2983	86	83	5	1000	CU			
11	060	3	10	SCT	2984	87	83	5	1400	CU			
12	070	2	10	SCT	2984	87	83	5	1400	CU			
13	110	6	10	BKN	2983	93	85	6	2400	CU			
14	110	6	10	BKN	2980	88	83	6	1750	CU			
15	110	6	10	BKN	2980	88	83	6	1750	CU			
16	110	6	10	BKN	2980	86	83	6	1000	CU			
17	105	6	10	BKN	2979	85	81	6	1400	CU			
18	100	6	10	BKN	2978	84	80	~~+400~~ 6	1400	CU			
19	100	5	10	BKN	2978	83	80	6	1000	CU			
20	100	5	10	BKN	2978	83	80	6	1000	CU			
21	080	5	10	BKN	2978	83	80	5	1000	CU			
22	070	5	10	BKN	2979	83	80	6	1000	CU			
23	050	5	10	BKN	2979	83	80	6	1000	CU			
24	030	5	10	BKN	2979	83	80	6	1000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 210

REMARKS

00-04 Moored portside to, pier Jen (10) Naha Port, Okinawa RS ~~with~~ standard mooring lines doubled. 5 ships present PSN include US Army craft, MSTS ships, and merchant vessels and various small craft. SOPA is COM PAT FOR SOVEN 7TH FLT in USS Pine Island (AV-12) at Buckner Bay. Material condition modified Yoke is set.

Jon Turner Ens USNR

04-08 Moored as before. 0745 mustered crew at quarters Absentees, none.

Jon Turner Ens USNR

~~04-08~~ (con 1821

APPROVED: C C Bud Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki CATF-96 Friday (Day) 2 (Date) Aug (Month) 1963

0812 Moored As Before. 0813 Secured From Commanding Officers Personnel Inspection. 0920 Made Daily Inspection of Magazines And Smokeless Powder Samples. Conditions Normal. Made Weekly Inspection And Test of Magazine Sprinkler System. Conditions Satisfactory. 1048 USS Florikan (ASR-9) Moored Alongside To Starboard.

L E Horton
LTJG USN

12-16. Moored As Before. 1400 Commenced Commanding Officers Material Inspection. 1500 Secured From Commanding Officers Material Inspection.

L E Horton
LTJG USN.

16-20 Moored As Before. 1800 Set Material Condition Yoke Modified. 1910 USS Florikan (ASR-9) Underway From Along Side.

L E Horton
LTJG USN

20-24 Moored As Before.

L E Horton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9I DATE SATURDAY (Day) 3 (Date) AUGUST (Month), 19 63

AT/PASSAGE FROM NAHA OKINAWA. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	1	7	SCT	2980	83	80	3	1000	CU			
02	040	1	7	SCT	2980	83	80	3	1000	CU			
03	050	1	7	SCT	2980	83	80	3	1000	CU			
04	050	1	7	SCT	2980	83	80	3	1000	CU			
05	050	1	7	SCT	2980	83	80	3	1000	CU			
06	050	1	7	SCT	2980	83	80	3	1000	CU			
07	050	1	7	H	2980	86	83	3	1000	CU			
08	050	2	7	H	2981	89	84	3	1750	CU	84	CALM	
09	050	2	7	H	2981	89	84	3	1750	CU	84	CALM	
10	050	3	7	H	2982	90	85	4	1750	CU	84	CALM	
11	070	3	7	H	2982	91	85	4	2100	CU	84	CALM	
12	065	2	7	H	2981	90	84	4	2100	CU	85	CALM	
13	065	4	7	H	2980	89	84	4	1750	CU	85	CALM	
14	065	3	7	H	2979	89	84	4	1750	CU	85	CALM	
15	065	2	7	H	2979	89	84	4	1750	CU	85	CALM	
16	065	2	8	H	2977	89	84	4	1750	CU	85	CALM	
17	065	2	8	H	2977	89	84	4	1750	CU	85	CALM	
18	060	8	8	H	2977	88	84	4	1400	CU	85	CALM	
19	060	8	8	H	2977	88	84	4	1400	CU	85	CALM	
20	060	8	8	H	2977	87	83	4	1400	CU	85	CALM	
21	050	13	10	SCT	2979	87	83	1	1400	CU	85	050	1
22	050	12	10	SCT	2980	87	83	3	1400	CU	85	050	1
23	050	12	10	SCT	2980	87	83	3	1400	CU	85	050	1
24	050	7	10	SCT	2980	87	83	2	1400	CU	85	050	1

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 25-36.1N		BY 1+2
λ 127-05.2E		BY 1+2
2000		
L 24-24.1N		BY 1+2
λ 125-41.8E		BY 1+2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 209.8

FUEL CONSUMED 0000-2400: 1873

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH TEN. NAHA, OKINAWA, WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, ARMY HARBOR CRAFT, AND MERCHANT SHIPS SOPA IS ~~COMPAT SEVEN~~ COMPATFORSEVENTHFLT IN USS PINE ISLAND (AV-12)

RSN

L.E. Horton
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø715 MUSTERED CREW ON STATIONS ABSENTEES: NONE Ø74Ø SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. Ø754 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT FIRST QUARTER FISCAL YEAR 64 OPERATING SCHEDULE FROM BERTH 10, NAHA OKINAWA FOR HONG KONG B.C.C. MANEUVERING VARIOUS COURSES AND SPEEDS TO CLEAR BERTH

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) SATURDAY (Day) 3 (Date) AUGUST (Month), 19 63 SCH

~~04-08~~ ~~08-12~~ (CONT) AND HEAD FAIR IN CHANNEL. DRAFT 13' FWD 16'6" AFT

F.E. Horton
LTJG USN.

08-12 UNDERWAY AS BEFORE 0815 C/C TO 245° 0817 C/C TO 243° 0832 C/C TO 219° 0852 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS: NORMAL 0855 C/S TO 110 RPM

C.E. Mann BM1 USN

12-16 Underway as before: 1500 C/C to 231°

Jim Turner Es USN

16-18 UNDER WAY AS BEFORE

Fitt DeJarnette, BMCA, USN

18-20 Underway As Before.

F.E. Horton
LTJG, USN.

20-24 UNDERWAY AS BEFORE

C.E. Mann BM1 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Jr. Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

22

USS ABNAKI ATF-96 ZONE DESCRIPTION -9Z DATE ~~SATURDAY~~ Sunday (Day) 4 (Date) ~~3~~ AUGUST (Month), 19 1963

AT/PASSAGE FROM Naha Okinawa TO Hong Kong, BC

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	3	10	SCT	2979	85	82	1	1060	CU	85	050	1
02	060	3	10	SCT	2979	84	82	2	700	CU	85	050	1
03	060	2	10	SCT	2979	84	82	2	700	CU	85	050	1
04	060	3	10	SCT	2978	83	82	3	350	CU	85	050	1
05	060	3	10	SCT	2976	83	82	3	350	CU	85	050	1
06	050	3	10	SCT	2976	83	82	3	350	CU	85	045	1
07	050	4	10	SCT	2977	84	83	3	350	CU	85	045	1
08	090	4	10	SCT	2978	89	84	5	1750	CU	85	CALM	
09	090	4	10	SCT	2979	90	84	5	2100	CU	85	CALM	
10	090	4	10	SCT	2979	91	84	5	2400	CU	85	CALM	
11	090	6	10	SCT	2980	92	84	5	2800	C1/2U	85	CALM	
12	090	9	10	SCT	2980	91	85	4	2400	C1/2U	85	080	1
13	070	9	10	SCT	2979	91	85	4	2100	CU	85	070	1
14	070	9	10	SCT	2978	90	84	4	2100	CU	85	070	1
15	070	9	10	SCT	2977	88	82	5	2100	CU	85	070	2
16	070	6	10	SCT	2975	87	82	4	1250	CU	85	065	1
17	070	6	10	SCT	2975	87	82	4	1700	CU	85	065	1
18	070	6	10	SCT	2975	87	82	4	1700	CU	85	065	1
19	070	4	10	SCT	2975	87	83	4	1400	CU	85	065	1
20	070	4	10	SCT	2975	84	80	4	1400	CU	85	CALM	
21	070	4	10	SCT	2976	84	79	4	1750	CU	85	CALM	
22	070	4	10	BKN	2976	85	79	7	2100	CU	85	CALM	
23	070	4	10	BKN	2978	86	80	9	2100	CU	85	CALM	
24	070	4	10	SCT	2977	86	80	5	2100	CU	85	CALM	

POSITION	ZONE	TIME
0800 L	22°-46.1'N	BY 1+2
λ	123-23.0E	BY 1+2
1200 L	22-05.5'N	BY 1+2
λ	122-46.0E	BY 1+2
2000 L	21-27.2N	BY 1+2
λ	121-22.8E	BY 1+2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 299.0

FUEL CONSUMED 0000-2400: 2823

REMARKS

00-04 Steaming independently enroute from Naha, Okinawa to Hong Kong British Colony in accordance with ComSeventhFlt Fast Quarterly operational schedule F.Y 1964. Base course 231° speed 13.3 kts. Condition of readiness V, material condition Yoke modified, engineering condition III and damage control condition III are set.

L. D. McTamney Ens USN

04-08 UNDER WAY AS BEFORE 0434 C/C 270°T 0444 C/C 231°T 1140
0747 TESTED SHIPS WHISTLE, SIREN, GENERAL, ~~CHEMICLE~~ CHEMICAL AND STEERING ALARMS; TEST: SATISFACTORY

J. H. Delacruz BMCA USN

APPROVED: C. C. Burd LT. U.S.N. COMMANDING

EXAMINED: R. S. Mason, Jr. Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Sunday 4 August 19 63
(Day) (Date) (Month)

0800-12 Underway As before. 0800 Mustered crew on stations: Absentees: None 1035 Made Daily Inspection of Magazines and Smokeless Powder Samples: Conditions Normal.

L E Horton
LTJG USN.

12-14 underway as before 1200 C/C to 240°

C.E. Mann BM1 USN

~~12-16~~
16-18 underway as before. 1726 C/C to 195

Thomas Emerson BM1 USN

18-20 UNDER WAY AS BEFORE 1824 C/C 276°T

Fitzsimmons BMCA USN

20-24 Underway As Before. 2325 C/C TO 270°

L E Horton
LTJG USN.

APPROVED: C C Reed LT. U.S.N. COMMANDING

EXAMINED: R D Mann, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

12

USS ABNAKI ATF-96 ZONE DESCRIPTION -9 DATE ~~SUNDAY~~ Monday 5 (Day) ~~4~~ (Date) AUGUST (Month), 19 1963

AT/PASSAGE FROM NAHA OKINAWA TO HONG KONG BC

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	100	7	10	SCT	2977	87	84	4	1000	CU	85	CALM	
02	125	6	10	SCT	2977	84	81	3	1000	CU	85	CALM	
03	125	6	10	SCT	2976	84	81	3	1000	CU	85	CALM	
04	110	4	10	SCT	2975	84	81	3	1000	CU	85	CALM	
05	115	4	10	SCT	2975	84	81	3	1000	CU	85	CALM	
06	115	5	10	SCT	2974	83	81	4	800	CU	85	CALM	
07	115	5	10	SCT	2974	83	81	4	800	CU	85	CALM	
08	115	5	10	SCT	2975	84	81	4	1000	CU	85	CALM	
09	115	4	10	SCT	2976	86	83	5	1000	ST/CU	85	CALM	
10	120	4	10	SCT	2977	87	83	5	1400	ST	85	CALM	
11	120	4	10	BKN	2978	88	85	6	1000	ST	85	CALM	
12	170	4	10	BKN	2978	88	84	6	1400	ST	85	CALM	
13	205	2	10	BKN	2977	89	84	6	1750	ST	85	CALM	
14	205	5	10	BKN	2976	89	84	6	1750	ST	85	CALM	
15	205	5	10	BKN	2974	89	84	6	1750	SC	85	CALM	
16	280	5	10	BKN	2973	89	84	6	1750	CU	85	CALM	
17	280	5	10	BKN	2971	87	83	5	1400	CU	85	CALM	
18	280	5	10	BKN	2971	87	83	6	1400	CU	85	CALM	
19	280	4	10	SCT	2971	87	83	5	1400	CU	85	CALM	
20	280	4	10	SCT	2971	86	83	5	1000	CU	85	CALM	
21	280	4	10	SCT	2971	85	82	4	1000	CU	85	CALM	
22	270	4	10	SCT	2971	84	82	4	800	CU	85	CALM	
23	270	4	10	SCT	2970	84	82	4	800	CU	85	CALM	
24	270	4	10	SCT	2970	84	82	4	800	CU	85	CALM	

POSITION	ZONE	TIME
0800		
L 21-14.5N	BY	1+2
λ 118-37.0E	BY	1+2
1200		
L 21-41.0N	BY	1
λ 117-40.0E	BY	1
2000		
L 22-01.2N	BY	1
λ 116-15.0E	BY	1

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 286

FUEL CONSUMED 0000-2400: 1300

REMARKS

00-04 steaming indep ctly from NAHA OKINAWA to HONG KONG B.C.C. in accordance with comm sumit ltr first quarter FY 1964 operation schedual base course 270 base speed 9/0 flank 13.3 kts material condition yoke modified and condition of readiness I engineering condition III and damage control condition III are set throughout the ship 0115 sighted white flare bearing 210° T rang on mile 0125 C/C to 090 to investigate flare. 0132 C/C 298° 0144 C/C to 270°

C.E. Mann QMI USN

04-08 Underway as before, 0745 Mustered crew at quarters Absentees: None. Tested ships whistle, siren, general chemical and steering emergency alarm. Test satisfactory

John Turner Ensign

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Rasen, Jr. Lt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) MONDAY (Day) 5 (Date) Aug (Month), 19 63

08-12 UNDER WAY AS BEFORE 0855 C/C 283° T 0958 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITIONS: NORMAL

F M Jerome BMCA USN

12-16 Underway As Before. 1347 C/S To 11.3 Kts. 1525 A/E STOP.

L E Horton
LTJG USN.

16-18 underway as before 1914 C/C to 269° 1916 C/C 273° 1921 C/C 246° 1923 C/C 255° 1926 C/C 283

C E Man BM1 USN

18-20 Underway as before. 1914 C/C 269° ; 1916 C/C 273° 1921 C/C 245° 1923 C/C 255° 1926 C/C 283° 1958 C/C to 297°

A M Turner EM1 USN

20-24 UNDER WAY AS BEFORE. 2006 C/C 283° T. 2008 C/C 285° T 2011 C/C 286° T 2018 C/C 283° T 2045 C/C 273° T 2050 C/C 275° T 2052 C/C 278° T 2054 C/C 283° T 2141 C/C 290° T 2143 C/C 285° T 2156 C/C 280° T 2217 C/C 269° T 2221 R/15° RUDDER - RUDDER MIDSHIP STEADY 300° T 2223 L/15° RUDDER STEADY 283° T 2233 C/C 275° T 2243 C/C 283° T. 2300 C/C 274° T

F M Delorme BMCA USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R A Rosa Jr Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9I DATE TUESDAY (Day) 6 (Date) AUG (Month), 19 63

~~AT~~/PASSAGE FROM NAHA OKINAWA TO HONG KONG B.C.C.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	190	4	10	SCT	2970	83	80	4	1000	CU	85	CALM	
02	190	4	10	SCT	2970	83	80	4	1000	CU	85	CALM	
03	190	4	10	SCT	2970	83	80	4	1000	CU	85	CALM	
04	130	7	10	SCT	2969	83	80	4	1000	SC	85	CALM	
05	135	7	10	SCT	2969	83	80	3	1000	SC	85	CALM	
06	130	6	10	SCT	2969	83	80	4	1000	SC	85	CALM	
07	130	7	10	SCT	2969	82	80	3	800	SC	85	CALM	
08	250	3	10	BKN	2969	88	81	8	1750	CB	85	CALM	
09	250	2	10	BKN	2969	90	83	8	2100	CB			
10	250	2	10	BKN	2970	92	83	8	3000	CB			
11	250	2	10	BKN	2970	94	83	8	4000	CB			
12	240	2	10	BKN	2970	94	83	7	4000	CB			
13	240	3	10	BKN	2970	93	84	7	3600	CB			
14	230	3	10	BKN	2970	93	84	7	3000	CB			
15	220	3	10	BKN	2970	92	84	8	2800	CB			
16	220	3	10	BKN	2970	92	84	8	2800	CB			
17	220	3	10	BKN	2970	92	84	8	2800	CB			
18	240	3	10	BKN	2970	92	84	8	2800	CB			
19	280	3	10	BKN	2970	92	84	8	2800	CB			
20	270	3	10	BKN	2970	90	84	8	2100	CU			
21	280	3	10	BKN	2970	90	84	8	2100	CU			
22	300	1	10	SCT	2969	87	83	4	1400	CU			
23	300	3	10	SCT	2969	86	83	4	1000	CU			
24	300	3	10	SCT	2969	86	82	4	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 77.0

FUEL CONSUMED 0000-2400: 220

REMARKS

00-04 Steaming Unindependently enroute from Naha Okinawa to Hong Kong B.C.C. in accordance with COMSEVENTH FLT. First Quarter Fiscal ~~1963~~ 1964 Operation Schedule. Base FOX Speed 11.3 Kts Base Course ~~283° Steering~~ 274° Material SCH Condition Yoke Modified, Readiness Condition II Engineering and Damage Control Condition III Set. 0109 C/C To 257° 0125 C/C To 265° 0129 C/C To 274° 0143 C/C To 285° 0148 C/C To 274° 0324 MADE VISUAL LANFALL BEARING 320° 17 MILE. 0329 C/C To 270°

F E Hanton
LTJG USN

04-08 underway as before 0401 C/C 274 0430 C/C 270 0433 C/C 274 0438 C/S P/O standard 7 KTS 0542 C/C 280 0543 C/C 270 0607 C/C 265 0608 C/C 270 0610 C/S 5 KTS 0627 C/C 6.7 KTS 0631 C/C 267 0650 C/C 265 0708 C/C 260.

C P Mann BM1 USN

APPROVED: C C Reed LT U.S.N. COMMANDING

EXAMINED: D S Mason Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) TUES (Day) 6 (Date) Aug (Month), 19 63

08-12 Underway as before 0800 mustered crew at quarters, absentees none. 0800^ steaming various courses at various speeds to moor berth East at Victoria pier Hong Kong BCC. 0839 moored starboard side to berth East at Victoria pier Hong Kong BCC. 0854 Secured special Sea and anchor detail. 1015 made daily inspection of magazines and smokeless powder samples, completed Engineer. 1130 pursuant to orders of the Commanding Officer. Carlile, James C ~~and Pease, Bruce~~ 3300583 SFP2 and Pease Bruce A 5426372 EN3 USN departed the ship to report to Senior Shore Patrol officer Hong Kong for temporary additional duty.

Lou Turner Endsley

12-16 MOORED AS BEFORE. 1201 COMMANDING OFFICER DEPARTED TO MAKE OFFICIAL CALL ON COMMADORE, HONG KONG. 1220 ~~CAP~~ COMMANDING OFFICER RETURNED FROM OFFICIAL CALL. JEH

LE Horton
LTJG USN.

16-20 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE MODIFIED.

LE Horton
LTJG USN

20-24 MOORED AS BEFORE.

LE Horton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: P S Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION -9 I DATE Wednesday (Day) 7 (Date) Aug (Month), 19 63

AT/PASSAGE FROM Hong Kong, B.C.C. TO —

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	2	10	BKN	2969	86	82	7	1400	CU			
02	300	2	10	BKN	2967	86	82	7	1400	CU			
03	300	2	10	BKN	2965	86	82	7	1400	CU			
04	300	2	10	BKN	2964	85	81	7	1400	CU			
05	300	2	10	BKN	2963	85	81	8	1400	CU			
06	300	1	10	BKN	2962	84	81	8	1000	CU			
07	300	1	10	BKN	2961	84	80	9	1400	CU			
08	290	1	10	BKN	2960	86	81	9	1750	CU			
09	290	1	10	BKN	2960	88	81	9	2100	CU			
10	290	2	10	BKN	2960	90	82	9	2800	CU			
11	300	2	10	BKN	2961	93	83	8	3200	CU			
12	295	1	10	BKN	2960	94	84	8	3600	CU			
13	295	2	10	BKN	2961	94	84	8	3600	CU			
14	230	2	10	BKN	2961	93	84	8	3400	CU			
15	230	2	10	BKN	2961	93	86	7	2700	CU			
16	230	4	10	BKN	2960	91	86	7	1750	CU			
17	220	4	10	BKN	2960	90	86	7	1400	CU			
18	220	4	10	BKN	2959	89	86	6	1000	CU			
19	220	4	10	BKN	2959	88	86	6	800	CU			
20	230	3	10	BKN	2958	87	86	6	400	CU			
21	220	3	10	BKN	2958	87	86	6	400	CU			
22	220	3	10	BKN	2958	87	86	6	400	CU			
23	220	3	10	BKN	2958	87	86	6	400	CU			
24	220	3	10	BKN	2958	87	86	6	400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 182

REMARKS

ØØ-Ø4 Moored Starboard Side To East Arm, Victoria Basin, Hong Kong B.C.C. With Standard Mooring Lines Doubled. Modified Material Condition Yoke Set. Receiving Telephone Service From The Pier. Ships Present Include Various Units Of US Pacific Fleet. HM Royal Navy. Merchant Vessels And Small Craft. SOPA Is Com Pat Seven In USS Pine Island (AV-12). Ø1Ø8 Carnie, James C. SFP-2 350-05-83 USN And Pease Bruce A. 542-63-72 EN3 USN Returned To The Ship Terminating Temporary Duty As Shore Patrol

P E Horton
LTJG USN

Ø4-ØE Moored As Before. Ø65Ø Mustered Crew At Quarters: Absentees None. Ø75Ø Made Daily Inspection Of Magazines And Smokeless Powder Samples Conditions Normal

P E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Lt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Wednesday (Day) 7 (Date) Aug. (Month) 1963

08-12 Moored as before. 0830 Pursuant to the orders of the commanding officer, Howell, G.R, 493-16-58, IC2, USN in charge of two men departed the ship to report to Senior Shore Patrol officer Hong Kong, B.C.C for TAD.

R D Mason
Lt(jg), USNR

12-16. Moored as before. 1200 Commodore Hong Kong came on board to return the official call of the commanding officer. 1520 Compatron seventh flt assumed SOPA

R D Mason
Lt(jg), USNR

16-20 Moored as before. 1800 set material condition Yoke (Modified).

R D Mason
Lt(jg), USNR

20-24 Moored as before. 2359 Howell, G.R 493 16 58, IC2 USN in charge of shore patrol detail returned to the ship.

R D Mason
Lt(jg), USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION -9 I DATE Thursday (Day) 8 (Date) Aug (Month), 19 63

AT/~~PASSAGE FROM~~ Hong Kong, B.C.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	1	7	BKN	2960	86	85	7	400	CU			
02	220	1	7	BKN	2960	85	84	7	400	CU			
03	—	—	7	BKN	2960	85	82	7	1000	CU			
04	—	—	7	BKN	2960	84	81	7	1000	CU			
05	010	2	7	BKN	2960	83	80	7	1000	CU			
06	010	2	7	BKN	2960	83	79	7	1400	CU			
07	290	2	7	SCT	2960	83	79	5	1400	CU			
08	280	2	8	SCT	2960	86	81	5	1750	CU			
09	280	1	8	SCT	2962	88	82	5	2100	CU			
10	280	1	8	SCT	2962	90	83	5	2400	CU			
11	280	1	8	SCT	2962	91	84	5	1700	CU			
12	280	1	8	SCT	2966	90	84	5	2100	CU			
13	—	—	10	SCT	2966	90	84	5	2100	CU			
14	—	—	10	SCT	2965	90	84	5	2100	CU			
15	—	—	10	SCT	2965	89	84	5	1750	CU			
16	—	—	10	SCT	2965	88	83	5	1750	CU			
17	290	1	10	SCT	2964	88	83	~~5~~	1750	CU			
18	300	1	10	SCT	2964	87	83	5	1400	CU			
19	320	1	10	SCT	2964	86	83	5	1000	CU			
20	340	1	10	SCT	2964	85	83	5	800	CU			
21	350	2	10	SCT	2964	84	83	5	400	CU			
22	350	2	10	SCT	2964	84	83	5	400	CU			
23	355	2	10	SCT	2964	85	84	4	400	CU			
24	350	2	10	SCT	2964	85	84	4	400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 88

REMARKS

00-04. MOORED STARBOARD SIDE TO EAST ARM OF VICTORIA PIER, HMS TAMAR, Hong Kong, B.C.C., WITH STANDARD ~~two~~ MOORING LINES doubled. RECEIVING PHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE ~~HAS~~ VARIOUS UNITS OF THE U.S. PACIFIC FLEET, BRITISH NAVY, MERCHANT VESSELS OF VARIOUS NATIONS, AND YARD CRAFT. SOPA is COMPATRON SEVENTHFLT.

R S Mason
Stgr, USNR

04-08 MOORED AS before. 0650 MUSTERED THE CREW at QUARTERS ABSENTEES: NONE. 0733 MADE daily INSPECTION OF MAGAZINES AND SMOKELESS powder SAMPLES. CONDITIONS NORMAL.

R S Mason
Stgr, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stgr U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP USS ABNAKI (ATF-96) THURSDAY (Day) 8 (Date) AUGUST (Month) 63

00-12 moored as before. 0830 pursuant of the orders of the Commanding officer, LUSAN, Rufo J., 520 13 30, RD3, USN and KITE, Delmas W., 586 19 96, BN3, USN left the ship to report to shore patrol Headquarters for temporary duty.

J.d. Hollis. CWO2, USN

12-16 moored as before.

J.d. Hollis. CWO2, USN

16-20 moored as before. 1800 set material condition yoke (modified) 1915 mustered the duty ~~report~~ fire party, absentees; none. 1926 LUSAN, Rufo J., 520 13 30, RD3 USN and KITE, Delmas W., 586 19 96, BN3, USN returned to the ship having completed temporary duty on shore patrol.

J.d. Hollis. CWO2 USN

20-24 moored as before.

J.d. Hollis. CWO2, USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R S Rosen Lieut U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -9 I DATE FRIDAY (Day) 9 (Date) AUGUST (Month), 19 63

AT/~~PASSAGE FROM~~ HONG KONG, BCC TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	350	2	10	BKN	2964	85	84	6	400	CU			
02	340	1	10	BKN	2964	85	84	6	400	CU			
03	340	1	10	OVC	2964	85	84	10	400	SC			
04	—	—	7	R	2964	85	84	10	400	ST			
05	—	—	7	R	2967	85	84	10	400	ST			
06	320	1	7	OVC	2963	86	85	10	400	ST			
07	320	1	7	OVC	2963	86	85	10	400	ST			
08	—	—	7	OVC	2962	87	84	10	1000	ST			
09	310	1	4	R	2962	86	84	10	800	ST			
10	310	2	4	R	2962	87	85	10	800	ST			
11	310	1	4	R	2962	88	86	10	800	ST			
12	—	—	4	R	2963	89	88	10	400	ST			
13	—	—	5	R	2963	89	88	10	400	ST			
14	—	—	5	R	2963	90	89	10	400	ST			
15	—	—	5	R	2963	90	89	10	400	ST			
16	320	1	5	R	2963	89	88	10	400	ST			
17	320	1	5	R	2964	87	86	10	400	ST			
18	330	1	7	OVC	2963	86	85	10	400	ST			
19	340	1	7	OVC	2963	85	84	10	400	ST			
20	350	2	7	OVC	2964	84	82	10	800	ST			
21	010	2	10	OVC	2964	83	80	10	800	ST			
22	020	2	10	OVC	2964	83	80	10	800	ST			
23	020	1	10	OVC	2964	82	79	10	800	ST			
24	030	2	10	OVC	2964	82	79	10	800	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 121

REMARKS

00-04 Moored Starboard side too East Arm Victoria Basin, Hong Kong, BCC, with standard mooring lines doubled. Receiving telphone service from the pier, material condition yoke (modified) set. Ships present include various units of the U.S. Pacific Flet, Royal Navy Flet, Small craft and Merchantmen. SOPA is COM PAT FORCE SEVEN 7/E.

J.L. Hollis, CWO-2, USN

04-08 Moored as before; 0650 Mustred the crew at Quarters; Absentys: None. 0700 Commenced Captains personnel inspection. 0712 Secured from Captains personnel inspection.

J.L. Hollis, CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.R. Moser, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 9 (Date) August (Month), 19 63

08-12 Moored as before. 0830 pursuant of the orders of the Commanding officer. Kaplitz E (n) 5280946, PN3 USN and Johnson JJ. 5384854 EM3 left the ship to report to Shore Patrol Headquarters for temporary duty. 0910 Made daily inspection of magazines and smokeless powder samples conditions normal. Made weekly inspection of magazine sprinkling system. conditions normal

Wm Turner EnsUSN

12-16 Moored as before.

Wm Turner EnsUSN

16-20 Moored as before. 1800 Set material condition modified Yoke.

Wm Turner EnsUSN

20-24 Moored as before. 2157 Kaplitz E(n) 5280946 PN3 USN and Johnson JJ. 5384854 EM3 USN returned to the ship having completed temporary duty on shore patrol.

Wm Turner EnsUSN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: D D Mason, Sllg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9I DATE Saturday (Day) 10 (Date) August (Month), 19 63

AT/~~PASSAGE~~ FROM HONG KONG ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	BKN	2964	82	79	8	1000	ST			
02	060	2	10	BKN	2964	82	79	8	1000	ST			
03	080	3	10	BKN	2964	82	80	8	800	ST			
04	090	3	10	BKN	2964	82	80	8	800	ST			
05	100	2	10	BKN	2964	82	81	8	400	ST			
06	120	1	10	BKN	2965	83	81	8	800	ST			
07	130	1	10	BKN	2965	83	82	8	400	ST			
08	150	1	10	BKN	2965	83	82	8	400	Sc			
09	—	—	7	BKN	2965	85	84	8	400	Sc			
10	150	3	7	BKN	2965	85	84	8	400	Sc			
11	200	3	7	BKN	2965	85	84	9	400	Sc			
12	200	3	5	BKN	2970	90	83	9	800	Sc			
13	200	3	5	BKN	2970	85	83	9	800	Sc			
14	200	3	7	BKN	2970	83	81	9	800	Sc			
15	200	3	7	BKN	2969	83	81	9	800	Sc			
16	200	2	7	BKN	2969	83	81	8	800	Sc			
17	200	2	7	BKN	2969	83	81	8	800	Sc			
18	200	2	7	BKN	2965	83	81	8	800	Sc			
19	200	2	7	BKN	2965	83	80	8	1000	Sc			
20	200	2	5	BKN	2964	83	80	8	1000	Sc			
21	200	2	5	BKN	2964	83	80	8	1000	Sc			
22	—	—	5	BKN	2968	83	80	8	1000	CU			
23	—	—	5	BKN	2965	83	80	8	1000	CU			
24	—	—	5	BKN	2965	83	80	8	1000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 254

REMARKS

00-04 Moored Starboard side to East arm of Victoria basin Hong Kong. CCC using Standard mooring lines doubled. Receiving telephone service from the pier. Material condition Modified Yoke in set. Ships present include units of the US Pacific Fleet, Units of Her Majestys Royal Navy and various merchant ships. SOPA is COMPHIBRON SEVEN FOR FLT Ron

Jim Turner Ens USNR

04-08. Moored as before. 0800 Mustered crew on stations absentees: none

Jim Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 10 (Date) AUGUST (Month), 19 63

0800-1200 MOORED AS BEFORE 0800 MUSTERED CREW ON STATIONS: ABSENTEES NONE. 0855 PURSUANT TO COMMANDING OFFICERS ORDERS, BAILEY, BRENT R. 539-19-58 EN3 USN AND MOSHIER, DENNIS E. 538-20-77 SFP3 USN DEPARTED FOR TAD AT SHORE PATROL HEAD QUARTERS. 0930 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE.

J E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE MODIFIED

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE. 2355 BAILEY, BRENT R. 539-19-58 EN3 USN AND MOSHIER, DENNIS E 538 20 77 SFP3 USN RETURNED ABOARD TERMINATING TAD AT SHORE PATROL HEADQUARTERS

J E Horton
LTJG USN

APPROVED: C C Beck Lt U.S.N. COMMANDING

EXAMINED: D D Moser Jr U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION -9 DATE Sunday (Day) 11 (Date) Aug (Month), 19 63

AT/~~PASSAGE FROM~~ Hong Kong, B.C.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	1	5	BKN	2965	83	81	8	400	CU			
02	000	3	5	BKN	2965	83	82	8	400	CU			
03	000	3	5	BKN	2970	83	80	8	1000	CU			
04	000	2	5	BKN	2970	83	80	7	1000	CU			
05	000	2	5	BKN	2970	83	80	7	1000	CU			
06	010	2	7	BKN	2970	82	81	7	400	CU			
07	015	2	7	BKN	2968	82	81	7	400	CU			
08	015	2	7	BKN	2969	82	82	7	1400	CU			
09	020	2	7	BKN	2968	87	83	7	1400	CU			
10	010	3	10	BKN	2971	88	84	7	1400	CU			
11	000	3	10	BKN	2970	88	84	7	1400	CU			
12	350	3	10	BKN	2970	89	85	7	1400	CU			
13	350	3	10	BKN	2970	89	85	7	1400	CU			
14	340	2	10	BKN	2970	90	85	7	1750	CU			
15	330	2	10	BKN	2970	89	85	6	1400	CU			
16	330	3	10	BKN	2972	88	84	6	1400	CU			
17	330	3	10	BKN	2971	87	83	6	1400	CU			
18	320	3	10	BKN	2971	87	83	6	1400	CU			
19	320	4	10	BKN	2971	87	83	6	1400	CU			
20	310	4	10	BKN	2970	86	83	6	1000	CU			
21	310	4	10	BKN	2970	86	83	6	1000	CU			
22	300	4	10	BKN	2970	85	82	6	1000	CU			
23	310	3	10	BKN	2969	85	82	6	1000	CU			
24	300	3	10	BKN	2969	85	82	6	1000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 181

REMARKS

ØØ-Ø4 Moored Starboard Side To East Arm Victoria Basin Hong Kong, B.C.C. With Standard Mooring Lines Doubled Modified Material Condition Yoke Set. Receiving Telephone Service From The Pier. Ships Present Include Various Units of US Pacific Fleet, H.M. Royal Navy, Merchant Vessels And Harbor Craft. SOPA is ~~ComPatSeven~~ ComPatFor Seventhflt Embarked ~~on~~ USS Pine Island (AV-12).

J E Horton
LTJG USN.

Ø4-Ø8 Moored As Before. Ø745 Mustered Crew On Stations: Absentees: None.

J E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R J Rosen, Sgt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki CATF-96 ~~At~~ Sunday 11 Aug. 19 63
(Day) (Date) (Month)

08-12 MOORED AS before. 0855 ~~STAFFORD, RE~~ PURSUANT TO THE ORDERS OF THE COMMANDING OFFICER, STAFFORD, R.E 546-90-60 ETN3 IN CHARGE OF TWO MEN DEPARTED THE SHIP TO REPORT TO SENION SHORE PATROL OFFICER, HONG KONG FOR TAD. 0906 MADE daily INSPECTION of MAGAZINES AND SMOKELESS POWDER SAMPLES - CONDITIONS NORMAL.

RS Mason
Slyg, USNR

12-16 MOORED AS before.

RS Mason
Slyg USNR

16-20 MOORED AS before - 1800 SET MATERIAL CONDITION YOKE (Modified).

RS Mason
Slyg, USNR

20-24 MOORED AS before. 2340 The SHORE PATROL detail, RETURNED To the Ship HAVING completed TAD at SHORE PATROL headquarters, Hong Kong, BCE -

RS Mason
Slyg USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason Slyg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION -9 DATE Monday (Day) 12 (Date) Aug (Month), 19 63

AT/PASSAGE FROM Hong Kong, B.C.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	3	10	SCT	2969	85	82	5	1000	CU			
02	300	3	10	SCT	2968	85	82	5	1000	CU			
03	280	3	10	BKN	2968	84	81	6	1000	CU			
04	280	3	10	BKN	2968	84	80	6	1000	CU			
05	270	5	10	BKN	2968	84	80	6	1000	CU			
06	260	5	10	BKN	2968	84	80	6	1000	CU			
07	240	5	10	BKN	2969	84	80	6	1000	CU			
08	220	5	7	BKN	2969	85	81	6	1000	CU			
09	200	5	7	BKN	2970	85	81	7	1000	CU			
10	170	5	7	BKN	2970	85	81	7	1000	Cb			
11	150	7	7	BKN	2970	84	80	7	1000	Cb			
12	145	7	10	BKN	2971	84	81	7	1000	Cb	80	145	3
13	160	6	4	OVC	2970	85	82	10	1000	ST	81	150	2
14	160	6	4	BKN	2970	84	82	7	800	Sc	83	150	2
15	160	6	4	BKN	2969	84	82	6	800	Sc	85	150	2
16	160	6	4	BKN	2969	84	82	6	800	Sc	85	155	2
17	160	5	7	BKN	2967	87	84	6	1000	Sc	85	155	3
18	150	8	8	BKN	2967	87	84	6	1000	Sc	85	155	3
19	150	8	8	BKN	2966	87	84	7	1000	Sc	85	155	3
20	150	10	8	BKN	2967	85	83	7	800	Sc	85	155	3
21	150	10	8	BKN	2968	85	83	7	800	Sc	85	155	3
22	150	10	8	BKN	2969	85	83	7	800	Sc	85	155	3
23	125	7	8	BKN	2971	85	83	7	800	Sc	85	140	3
24	130	6	10	BKN	2970	84	82	7	800	CU	85	140	2

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 22-07 N		BY 3
λ 114-26.5 E		BY 3
2000		
L 20-41.5 N		BY 1
λ 115-33 E		BY 1

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 179

FUEL CONSUMED 0000–2400: 1326

REMARKS

00-04 MOORED ~~PO~~ STARBOARD SIDE TO EAST ARM VICTORIA BASIN, HMS TAMAR, Hong Kong, B.C.C. with STANDARD MOORING LINES doubled. Receiving PHONE SERVICES from THE PIER. MATERIAL CONDITION YOKE (Modified) IS SET. Ships PRESENT INCLUDE VARIOUS US. OF THE U.S. PACIFIC FLEET, BRITISH NAVY, MERCHANT ~~VESSELS~~ VESSELS OF VARIOUS NATIONS ~~AND~~ AND YARD CRAFT. SOPA is COMPATRON SEVENTHFLT Embarked USS PINE ISLAND (AV-12)

D D Mason, Lt(jg), USNR

04-08 MOORED AS before. 0745 MUSTERED THE CREW at QUARTERS. ABSENTEES: NONE

D D Mason
Lt(jg), USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 MONDAY (Day) 12 (Date) AUG. (Month), 1963

0800-1200. Moored As Before 0810 Made Daily Inspection of Magazines And Smokeless Powder Samples: Conditions Normal. 0930 Commenced Preparations For Getting Underway. 0940 Set Special Sea And Anchor Detail. Captain And Navigator On The Bridge. OOD Has The Conn. 1000 Underway From East Arm of Victoria Basin, Hong Kong BCC. To Subic Bay, R.P. In Accordance With ComSeventh Flt. First Quarter 1964 Operational Schedule. Maneuvering Various Courses And Speeds To Clear Berth And Head Fair In Channel. 1007 Headed Fair In Channel On Course 040° Speed 6.7 Kts. Commenced Maneuvering On Various Courses And Speeds To Conform With Hong Kong Channel. 1117 Cleared Hong Kong Channel On Course 145° Speed 12.3 Kts. 1121 C/C To 137° 1125 C/C To 145° 1140 C/C To 130° 1144 C/C To 145°

J E Norton
LTJG USN

1200-1600 under way on Ofox 1303 C/C 155° 1304 C/C 145°

C E Mason ENS USN

1600-1800 Underway as before.

L M Turner Ens USNR

1800-2000 UNDER WAY AS BEFORE

F H Osborne BMCAUSN

2000-2400 Underway As Before. 2202 C/C To 180°

J E Norton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION -9I DATE Tuesday (Day) 13 (Date) August (Month), 19 63

AT/PASSAGE ~~FROM~~ Hong Kong, B.C.C. TO ~~To~~ Subic Bay, PI

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	150	5	10	CLR	2971	84	82	—	—	—	85	150	1
02	150	5	10	SCT	2970	84	82	3	800	CU	85	150	2
03	150	5	10	BKN	2969	84	82	6	800	Sc	85	150	2
04	185	10	10	BKN	2968	84	82	6	800	Sc	85	185	2
05	180	8	10	BKN	2968	84	82	6	800	Sc	85	180	2
06	185	8	10	BKN	2968	84	82	6	800	Sc	85	180	2
07	185	7	10	BKN	2968	84	82	6	800	Sc	85	180	2
08	183	8	10	BKN	2969	86	83	7	1000	Sc	85	180	2
09	185	8	10	BKN	2970	86	83	7	1000	Sc	85	180	2
10	185	7	10	BKN	2970	88	84	7	1400	Sc	85	180	2
11	185	6	10	BKN	2970	90	86	7	1400	Sc	85	180	1
12	230	9	10	BKN	2970	90	85	7	1750	Sc	85	180	1
13	230	9	10	BKN	2970	89	84	7	1750	Sc	85	180	1
14	220	6	10	BKN	2969	89	84	8	1750	Sc/CU	85	200	1
15	220	6	10	BKN	2969	89	84	8	1750	Sc/CU	85	200	1
16	—	—	10	BKN	2967	89	84	8	1700	Sc/AC	85	CALM	
17	—	—	10	BKN	2967	88	83	8	1750	Sc/AC	85	CALM	
18	185	15	10	BKN	2966	87	83	8	1400	AC/CU	85	CALM	
19	185	5	10	BKN	2966	85	83	8	800	AC/CU	85	CALM	
20	185	6	9	BKN	2967	84	83	8	400	CU	85	180	1
21	190	6	8	BKN	2968	83	82	8	400	CU	85	180	2
22	190	7	7	BKN	2969	82	81	8	400	CU	85	180	2
23	190	8	7	BKN	2969	82	81	8	400	CU	85	180	1
24	125	11	7	BKN	2968	84	83	8	400	CU	85	180	1

POSITION	ZONE	TIME
0800		
L 18-11.8 N	BY	142
λ 115-42.5 E	BY	142
1200		
L 17-28.2 N	BY	1
λ 115-43 E	BY	1
2000		
L 15-39.8 N	BY	2
λ 115-58.2 E	BY	2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 312.0

FUEL CONSUMED 0000-2400: 2471

REMARKS

00-04 Steaming independently in route from Hong Kong B.C.C. to Subic Bay PI in accordance with COMSEVENTHFLT FIRST QUARTERLY FY 1964 operation schedule. Base course 180 base speed 12.0 KTS material condition YOKE (modified) readiness condition II engineering condition III damage control condition III are set. ~~Steering ship~~ en

C.C. Brown ENS USN

04-08 Underway as before 0658 C/S 11.8 KTS; 0734 C/S 12.3 KTS 0745, Mustered crew on stations, absentees: none. Tested ships whistle, siren, General, chemical and steering emergency alarms. Test satisfactory.

Thos James Jr USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Rose, Lt USN U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 13 (Date) AUGUST (Month), 19 63

08-12 UNDER WAY AS BEFORE 0914 MADE DAILY ~~MAGAZINE~~ FIRE INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES CONDITIONS: NORMAL

F.H. DeJonge BMCA USN

12-16 UNDERWAY AS BEFORE. 1304 EXERCISED CREW AT GENERAL QUARTERS. 1412 EXERCISED CREW AT ABANDON SHIP STATIONS. 1422 SECURED FROM GENERAL QUARTERS.

H.E. Horton
LTJG USN.

16-18 underway as before

C.E. Mann DK1 USN

18-20 Underway as before

Lee Turner En USN

20-24 UNDER WAY AS BEFORE

F.H. DeJonge BMCA USN

APPROVED: EXAMINED:

Rud Lt U.S.N. COMMANDING R.J. Mann, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION -8 DATE WEDNESDAY (Day) 14 (Date) AUGUST (Month), 19 63

AT/PASSAGE FROM HONG KONG B.C.C. TO SUBIC BAY, R.P.

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	115°	11	7	BKN	2961	84	84	7	400	CU	85°	180	1
02	115°	12	7	BKN	2966	84	83	7	400	CU	85°	180	1
03	280	12	7	OVC	2965	84	83	9	400	ST	85°	160	1
04	280	12	7	R	2963	83	82	10	400	ST	85°	280	1
05	280	12	7	R	2963	83	82	10	400	ST	85°	280	2
06	280	17	7	L	2961	83	81	10	400	ST	85°	280	2
07	290	17	7	L	2961	83	82	10	400	ST	85°	280	5
08	280	18	5	L	2963	80	79	10	400	ST	85°	280	5
09	275°	18	4	L	2964	79	78	10	400	ST	84	280	5
10	260	14	5	L	2962	78	77	10	400	ST	85°	280	5
11	260	17	4	L	2961	79	78	10	400	ST	85°	260	4
12	260	19	4	L	2960	79	78	10	400	ST	85°	260	4
13	265°	20	4	L	2960	79	78	10	400	ST	84	265°	5
14	265°	16	5	OVC	2959	78	77	10	400	ST	84	265°	5
15	260	16	7	OVC	2959	78	77	10	400	ST	84	250	5
16	265°	14	7	OVC	2962	78	77	10	400	ST			
17	260	13	6	OVC	2965	78	77	10	400	ST			
18	260	11	6	OVC	2970	78	77	10	400	ST			
19	250	10	7	OVC	2974	78	77	10	400	ST			
20	250	9	6	OVC	2978	78	77	10	400	ST			
21	250	9	5	OVC	2978	78	77	10	400	ST			
22	250	7	5	OVC	2978	78	77	10	400	ST			
23	250	6	5	OVC	2978	78	77	10	400	ST			
24	250	6	5	OVC	2979	78	77	10	400	ST			

POSITION	ZONE	TIME
0800		
L 14-40 N	BY	2
λ 118-30.8E	BY	2
1200		
L 14-40.0N	BY	2
λ 119-21.3E	BY	2
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 209.2

FUEL CONSUMED 0000-2400: 1194

REMARKS

ØØ-Ø4 STEAMING INDEPENDENTLY ENROUTE FROM HONG KONG B.C.C. TO SUBIC BAY, R.P. IN ACCORDANCE WITH COMSEVENTHFLT FIRST QUARTER FISCAL YEAR 1964 OPERATION SCHEDULE. BASE COURSE 120° BASE SPEED 12.3 KTS. MATERIAL CONDITION YOKE MODIFIED, READINESS CONDITION IV, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET.

J E Horton
LTJG USN

04-08 underway as before. 0500 C/C to 090° 0745 tested ships whistle since steering chemical alarm. 0800 mate aft on station. ABSENTEES NONE.

C E Mann BM1 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Lt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 14 (Date) AUGUST (Month), 19 63

0800-1200 Underway As Before. 0806 Mustered Crew on Stations Absentees: None. 0858 Made daily inspection of Magazines and smokeless powder samples: Conditions Normal. 0917 c/c to 085°.

J.A. Hollis CWO 2-USN

1200-1600 Underway As Before. 1420 Made Radar landfall bearing 066° 17 miles. 1502 c/c to 094 1536 c/c to 015° 1531 Set Special sea and anch detail. Captain and navigator on the bridge. OOD has the Conn.

F.H. Delfosse BMCH USN

1200-1600 (Cont) Underway As before 1553 Commenced Maneuvering on Various courses and Speeds to conform with Subic Bay channel.

J.E. Horton
LTJG USN

1600-2000 Underway As Before. 1616 Captain has the Conn Commenced maneuvering various courses and speeds & approach and moor in assigned berth. 1626 Moored Port Side to Viet Nam Navy Ship HQ471 in Berth R.P. 14 Subic Bay R.P.I. with 8 Lines and mooring lines doubled. SOPA is Com Nav Base Subic Bay. 1800 Set Material condition Yoke Modified 1830 Pursuant to Commanding Officers order Berry, Donald G. 533-43-24 YN2 USN departed ship command for TAD at Shore Patrol Headquarters. for

J.E. Horton
LTJG USN.

2000-2400 Moored as Before

J.E. Horton
LTJG USN.

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.R. Mason, Stgs U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -8 H DATE THURSDAY (Day) 15 (Date) AUGUST (Month), 19 63

AT/~~PASSAGE FROM~~ SUBIC BAY R.P.I. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	250	6	5	ovc	2979	78	77	10	400	ST			
02	240	6	5	ovc	2979	79	78	10	400	ST			
03	240	6	6	ovc	2979	79	78	10	400	ST			
04	230	5	7	ovc	2980	78	77	10	400	ST			
05	220	5	7	ovc	2981	77	76	10	400	ST			
06	210	4	7	ovc	2981	78	77	10	400	ST			
07	200	4	10	BKN	2981	79	77	8	800	Sc			
08	200	4	10	BKN	2982	81	78	7	1000	Sc			
09	180	5	10	BKN	2982	83	79	7	1400	Sc			
10	180	5	10	BKN	2982	84	79	7	1750	Sc			
11	170	5	10	BKN	2983	85	80	7	1750	Sc			
12	160	4	10	BKN	2984	85	80	7	1750	CU			
13	150	3	10	BKN	2984	84	79	7	1750	CU			
14	140	3	10	BKN	2985	84	79	6	1750	CU			
15	130	4	10	BKN	2985	85	80	6	1750	CU			
16	135	4	10	BKN	2985	84	79	6	1750	CU			
17	130	4	10	BKN	2984	84	79	6	1750	CU			
18	120	3	10	BKN	2984	83	79	7	1750	CU			
19	125	4	10	BKN	2983	84	79	7	1750	Sc			
20	115	4	10	BKN	2983	84	79	7	1750	Sc			
21	115	4	10	BKN	2982	83	80	7	1000	Sc			
22	110	4	10	BKN	2982	83	80	6	1000	Sc			
23	105	3	10	BKN	2981	83	80	6	1000	Sc			
24	100	3	10	BKN	2980	83	79	6	1400	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

ØØ-Ø4 Moored Port Side to Viet Nam Navy Ship HQ 471 in Berth R.P. 14 U.S. Naval Station, Subic Bay R.P.I. With standard mooring lines doubled, Receiving fresh water, electrical power, steam, and telephone service from the pier. Modified Material Condition Yoke set. Ships present included Various Units of U.S. Pacific Fleet, Viet Nam Navy, Republic of Philippine Island Navy and small craft. SOPA is COMNAV BASE SUBIC BAY. ØØ32 Berry Donald G 533 43 24 YN2 USN Returned aboard, terminating TAD duty as shore patrol.

LE Horton
LTJG USN

Ø4-Ø8 Moored as before. Ø745 Muster crew at quarters: Absentees: None.

LE Horton LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason Jr Lgg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 15 (Date) Aug (Month), 19 63

08-12 Moored as before, 0850 Made daily inspection of magazines and smokeless powder samples. Conditions normal. *1036 commenced taking on fuel from YO-196. Draft forward 13'6", aft 15'10". 1147 Fueling completed draft forward 13', aft 17'. *1050 ~~Captain left~~ The commanding officer left the ship to call officially on SOPA (Admin) COMNAVBASE) Subic Bay.

R D Mason
Sfyg. USNR

12-16 Moored as before *1537 Pursuant to the orders of the commanding officer, Deninger, R. H, 986 56 56 EM2, USN, left the ship to report to Senior Shore Patrol officer, Subic Bay, The Philippines for temporary duty. *1500 Yard Tug delivered Series 60 Target Sled, 60-577 alongside to starboard

R D Mason
Sfyg. USNR

16-20 Moored as before. 1800 Set material condition Yoke Modified.

R D Mason
Sfyg. USNR

20-24 Moored as before.

R D Mason
Sfyg, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R D Mason, Sfyg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki CATF-96 ZONE DESCRIPTION -8H DATE Friday (Day) 16 (Date) August (Month), 19 63

AT/~~PASSAGE FROM~~ Subic Bay, Philippines TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	100	3	10	BKN	2980	83	79	6	1400	Sc			
02	110	3	10	BKN	2980	83	79	6	1400	Sc			
03	110	4	10	BKN	2980	83	79	7	1400	Sc			
04	110	4	10	BKN	2979	84	80	7	1400	Sc			
05	115	4	10	BKN	2980	84	80	7	1400	Sc			
06	110	4	10	BKN	2981	84	80	8	1400	ST			
07	120	5	10	BKN	2981	85	81	8	1400	ST			
08	120	6	10	BKN	2980	85	83	6	800	ST			
09	130	7	10	BKN	2981	85	84	6	400	ST	82	130	1
10	150	10	10	BKN	2982	86	80	8	2100	Ac/ST	82	150	5
11	150	10	10	BKN	2982	85	80	9	1750	Ac/ST	82	150	5
12	130	12	10	BKN	2979	85	80	7	1750	Ac/ST	82	200	6
13	130	12	10	BKN	2975	85	79	6	2100	Ac/ST	82	200	5
14	130	11	10	BKN	2976	85	79	6	2100	ST	82	200	3
15	130	11	10	BKN	2976	85	79	6	2100	ST	83	180	3
16	130	10	10	BKN	2976	85	79	8	2100	ST	83	200	3
17	130	10	10	BKN	2976	86	80	8	2100	ST	83	205	3
18	130	10	10	BKN	2977	85	80	8	1750	ST	83	205	3
19	130	9	10	BKN	2978	84	80	8	1400	ST	82	200	3
20	190	5	10	CLR	2984	84	80	—	—	—	82	190	2
21	190	5	10	CLR	2985	84	80	—	—	—	83	190	2
22	190	5	10	CLR	2986	84	79	—	—	—	82	190	2
23	180	4	10	SCT	2986	84	79	2	1750	CU	82	180	2
24	—	—	10	SCT	2985	83	79	3	1400	CU	82	180	1

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 14-35.2N		BY 2+3
λ 119-52.2E		BY 2+3
2000		
L 14-34.2N		BY 3
λ 119-50.9E		BY 3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 128.0

FUEL CONSUMED 0000-2400: 1102

REMARKS

00-04 Moored port side to, outboard of H.Q 471, Riviera Pier Wharf, berth RP-14, U.S. Naval Station, Subic Bay, Philippines. with standard mooring lines doubled, and * Receiving fresh water, electrical power, steam and Telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, U.S. Army Ships, and Yard and district craft. SOPA is COMNAVBASE. 0026 Drininger, RH. 986 56 56 EN2, USN returned to the ship having completed TAD as Shore Patrol. * Series 60 target sled, 60-577 alongside to starboard. R S Mason, Lt, USNR

04-08 Moored as before. 0715 Mustered the crew on stations Absentees: None. 0720 Commenced making preparations for ~~gee~~ getting underway. Set the Special Sea and Anchor detail. 0747 completed all preparation for ~~gee~~ getting underway. Draft forward 13' 5", 16' 5" aft.
R S Mason, Lt, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ~~USS~~ ABNAKI ATF-96 FRIDAY (Day) 16 (Date) August (Month) 19 63

04-08 (CONT) 0756 commenced maneuvering on various courses & speeds while clearing berth. OOD has the conn, Captain & navigator on the Bridge - Series ~~boated~~ Series 60 sled (60-577) alongside. J.L. Hollis. CWO2 USN det to stbd.

08-12 moored as before. 0800 Underway in accordance with Com Seventh Fleet Quarterly operation Schedule of Fiscal year 1964 to local op. area. maneuvering on various speeds & courses conforming with Subic Bay Harbor & channel. Series 60 sled in tow. Base course 275°; Speed 9.5 Kts, 0832 secured the special sea detail and set the regular underway watch - 0835 C/C 232°.

J.L. Hollis. CWO2 USN

08-12 (CONT) Underway as before. 0859 C/C 193° 0944 C/S To 10.8 Kts 0946 C/S To 13.3 Kts 0921 MADE DAILY INSPECTION OF MAGAZINES, SMOKELESS POWDER SAMPLES AND CONDUCTED WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM CONDITIONS NORMAL 0922 C/C 247° 0953 C/C To 244° 1139 C/S To 6.7 Kts.

J.E. Horton LTJG USN.

12-16 Underway as before; 1400 C/S 9.5 Kts. 1403 C/C Right full Rudder. 1411 Steady on course 064°. 1412 C/S 6.7 Kts. 1557 C/S 7.7 Kts 1558 C/S 9.5 Kts 1559 R/7° RUD.

J.L. Hollis CWO2, USN

16-18 UNDER WAY AS BEFORE 1609 STEADY 244° T 1634 C/S 6.7 Kts.

J.E. Horton LTJG USN

18-20 Underway As Before

J.E. Horton
LTJG USN

20-24 Underway As Before. 2243 Heaved sled in to 600 feet. 2300 C/C To 183°

J.E. Horton
LTJG USN

APPROVED: C.C. Reed LT. U.S.N. COMMANDING

EXAMINED: D.D. Mason, Jr. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -8 H DATE SATURDAY (Day) 17 (Date) AUGUST (Month), 19 63

AT/PASSAGE FROM SUBIC BAY, R.P. TO LOCAL OP AREA B-3

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	SCT	2984	83	79	3	1400	CU	82	CALM	
02	—	—	10	SCT	2982	83	79	4	1400	CU	82	CALM	
03	150	5	10	SCT	2982	83	79	4	1400	CU	82	CALM	
04	140	4	10	SCT	2982	83	79	3	1400	CU	82	140	1
05	130	4	10	SCT	2982	84	80	3	1400	CU	82	130	1
06	120	3	10	SCT	2983	85	80	3	1750	CU			
07	100	3	10	SCT	2983	87	80	3	2400	CU			
08	070	3	10	SCT	2983	88	80	4	2800	CU			
09	060	2	10	SCT	2984	88	80	4	2800	CU			
10	065	2	10	SCT	2984	88	79	4	3100	CU			
11	050	2	10	SCT	2984	87	79	5	3100	CU			
12	040	1	10	SCT	2984	87	79	3	2800	CU			
13	040	3	10	SCT	2982	90	80	5	3600	CU			
14	040	3	10	SCT	2982	90	80	5	3600	CU			
15	040	3	10	SCT	2982	90	80	3	3600	CU			
16	035	2	10	SCT	2983	88	80	3	2800	CU			
17	035	1	10	SCT	2983	87	79	3	2800	CU			
18	020	1	10	SCT	2983	85	79	4	2400	CU			
19	020	1	10	SCT	2983	83	78	4	1750	CU			
20	—	—	10	SCT	2984	82	78	4	1400	CU			
21	—	—	10	SCT	2984	82	78	4	1400	CU			
22	—	—	10	SCT	2984	80	78	4	800	CU			
23	—	—	10	SCT	2985	80	77	4	1000	CU			
24	—	—	10	SCT	2984	80	78	4	800	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 32

FUEL CONSUMED 0000–2400: 602

REMARKS

00-04 Steaming Independantly from SUBIC BAY R.P. to local OP Area BRAVO Three (B-3) in accordance with COMNAVBASE SUBIC Msg. DTG 310704Z of July 1963; with zero 60 sec in tow Base Course 183°, speed 6.7 KTS, Material Condition yoke (modified), Readiness condition V, Engineering and damage control Condition III set. 0018 C/C 193°; 0030 sighted Corregidor light bearing 111°T. 0204 commenced turn to port, using 10° L Rudder, 021[illegible] Steady on course 016°; Corregidor light bears 095°T. 0355 lost sight of Corregidor light bearing 112°T.

J.H. Hollis CWO2 USN

04-08 UNDER WAY AS BEFORE 0531 C/C 020°T 0552 C/C 025°T C/S 5.7 KTS. 0557 C/S 5.3 KTS. 0601 C/S 6.7 KTS. 0619 SET ANCHOR DETAIL 0625 C/S 7.7 KTS. 0626 C/S ~~SET~~ 70 RPM 0627 C/S 9.5 KTS. 0638 C/S 6.7 KTS 0642 C/C 045°T 0646 C/S 7.7 KTS. 0647 C/C 055°T C/C 050°T 0650 SET SPECIAL SEA DETAIL 0655 COMMENCE HEAVING IN TOW TO 300 FT. 0657 C/S 8.9 KTS. 0655 C/S 9.5 KTS.

J.H.O.

F.H. DeJonne BMC USN

APPROVED: C.C. Reed Lt U.S.N. COMMANDING

EXAMINED: R.R. Rosen, Stgj U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) SATURDAY (Day) 17 (Date) AUG. (Month), 1963

04-08 (cont) CAPTAIN AND NAVIGATOR ON THE BRIDGE COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEED CONFORMING WITH SUBIC BAY CHANNEL 0725 COMMENCED MANEUVERING TO GO ALONG SIDE PIER 0736 MOORED PORT SIDE TO BERTH ALAVA WHARF A-2 AT SUBIC BAY P.I. WITH STANDARD MOORING LINES DOUBLED. SHIP'S PRESENT INCLUDE UNITS OF THE U.S. PACIFIC FLEET AND VIETNAM NAVY. SOPA IS COM NAV BASE 0741 SECURED SPECIAL SEA AND ANCHOR DETAIL

FRA D. Jaime BMCA USN

08-12 Moored as before. 0940 made daily inspection of magazines and smokeless powder samples, conditions normal 1002 Pursuant to orders of the Commanding Officer May H.G. Jr 540 1258 QM3 USN left the ship to report of Senior Shore Patrol Officer, Calongpo P.I. for temporary additional duty.

John Tumen Ens USNR

12-16 Moored as before. 1548 In accordance with BuPers order number 94032 Ens Christopher McKenzie USNR reported on board for duty

John Tumen Ens USNR

16-20 Moored as before 1800 Set modified condition Yoke

John Tumen Ens USNR

20-24 Moored as before

John Tumen Ens USNR

APPROVED: C A Reed Lt. U.S.N. COMMANDING

EXAMINED: R J Mason Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION 8 H DATE Sunday 18 August 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM Subic Bay Philipines TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	7	SCT	2982	79	78	3	400	CU			
02	—	—	7	SCT	2982	79	78	3	400	CU			
03	110	1	7	SCT	2982	80	78	3	800	CU			
04	110	1	7	SCT	2982	80	78	4	800	CU			
05	120	1	7	SCT	2981	81	79	4	800	CU			
06	130	1	10	SCT	2981	83	79	4	1400	CU			
07	135	1	10	SCT	2981	84	80	4	1400	CU			
08	130	1	10	SCT	2980	87	81	5	2100	CU			
09	130	1	10	BKN	2980	88	81	6	2400	Sc			
10	120	2	10	BKN	2980	88	81	6	2400	Sc			
11	115	2	10	BKN	2980	89	81	7	2800	Sc			
12	110	2	10	BKN	2980	89	81	7	2800	Sc			
13	105	3	10	BKN	2981	90	82	7	2800	Sc			
14	100	2	10	BKN	2979	91	83	7	2800	Sc			
15	100	2	10	BKN	2978	91	83	8	2800	Sc			
16	090	2	10	BKN	2978	90	82	8	2800	Sc			
17	090	1	10	BKN	2979	90	82	8	2800	Sc			
18	090	1	10	BKN	2979	89	80	8	3100	Sc			
19	090	1	10	BKN	2979	89	80	8	3100	Sc			
20	—	—	8	BKN	2979	88	78	8	3100	Sc			
21	—	—	8	BKN	2979	87	79	8	2800	Sc			
22	—	—	8	BKN	2979	85	79	8	2100	Sc			
23	—	—	8	BKN	2979	84	79	8	1750	Sc			
24	—	—	8	BKN	2979	83	79	8	1400	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 Moored port side to berth A-2 Alava Wharf Subic Bay P.I. using standard mooring lines. Receiving fresh water, steam, electric power and telephone service from the pier. Ships present include various units of the US Pacific Fleet, various yard and district craft and units of the Viet Nam Navy. Material condition modified Yoke is set. SOP Agis COMNAVBASE Subic Bay. Series 60 target sled is hauled in close astern. 0013 May HG 5401284 QM3 returned to the ship having completed temporary duty on [illegible]

04-08 Moored as before. 0800 mustered crew on stations absentees, none

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Sunday (Day) 18 (Date) Aug (Month), 1963

0800-1200 Moored As Before. 0945 Pursuant To Commanding Officers Orders Waller Thomas (N) 283-83-07 DCR USN Departed For TAD As Shore Patrol 1005 Made Daily Inspection of Magazines And Smokeless Powder Samples: Conditions Normal. 1025 Yard Tug Took Series 60 Sled From Astern

J E Horton
LTJG USN

1200-1600 Moored As Before.

J E Horton
LTJG USN

1600-2000 Moored As Before. 1800 Set Modified Material Condition Yoke.

J E Horton
LTJG USN

2000-2400 Moored As Before

J E Horton
LTJG USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: D S Nelson, Jr. Lt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION -8 H DATE Monday (Day) 19 (Date) Aug (Month), 19 63

AT/~~PASSAGE FROM~~ Subic Bay, Philippines ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	6	BKN	2979	76	72	9	1400	ST			
02	—	—	6	BKN	2979	76	72	9	1400	ST			
03	—	—	6	BKN	2979	76	72	9	1400	ST			
04	—	—	7	BKN	2979	75	70	9	1750	ST			
05	—	—	7	BKN	2979	75	72	9	1000	ST			
06	—	—	10	BKN	2979	76	74	9	800	ST			
07	—	—	10	BKN	2979	76	74	9	800	ST			
08	—	—	10	BKN	2980	77	76	8	400	ST			
09	—	—	10	BKN	2980	78	76	8	800	ST			
10	—	—	10	BKN	2979	78	76	8	800	ST			
11	—	—	10	BKN	2979	78	76	8	800	ST			
12	—	—	7	BKN	2978	78	76	8	800	ST			
13	010	2	7	BKN	2977	78	76	8	800	ST			
14	010	2	7	BKN	2975	80	78	8	800	ST			
15	010	2	7	BKN	2975	78	76	8	800	ST			
16	010	10	7	BKN	2973	85	78	8	2400	SC			
17	110	3	7	BKN	2973	83	78	8	1750	SC			
18	110	3	6	BKN	2973	83	78	8	1750	SC			
19	110	1	5	BKN	2974	82	78	8	1400	SC			
20	110	1	5	BKN	2974	83	78	8	1750	SC			
21	110	1	5	BKN	2980	83	78	8	1750	SC			
22	110	1	5	BKN	2980	83	78	8	1750	SC			
23	110	1	5	BKN	2980	83	78	8	1750	SC			
24	110	1	5	BKN	2980	80	78	8	800	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400

FUEL CONSUMED 0000–2400

627

REMARKS

0000-0004 Moored Port Side To in Berth Alwa E Subic Bay R.P.I. With Standard Mooring Lines Doubled. Receiving Steam, Fresh Water, Electrical Power, And Telephone Service From The Pier. Ships Present Include Various Units of US Pacific Fleet, And Yard Craft. Modified Material Condition Yoke Set. SOPAIS ~~Cont~~ Com Nav Base Subic Bay. 0055 Warner, Thomas (N) 283-83-07 Returned To Ship Terminating TAD As Shore Patrol PEN

J E Horton
LTJG USN

0004-0008 Moored As Before. 0745 Mustered Crew At Quarters Absentees: None.

J E Horton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Monday (Day) 19 (Date) Aug (Month) 63

08-12 Moored as before. 0830 Made daily inspection of magazines and smokeless powder samples. Conditions Normal. 0935 commenced making preparations for getting underway. 1000 set the Special Sea and Anchor detail. 1009 completed all preparations for getting underway. Draft forward 13'11", aft 16'6". 1021 Underway for berth Alava 7, U.S. Naval Station, Subic Bay, Philippines, in accordance with verbal orders of the Port Services Officer. Maneuvering to clear the pier. Captain and Navigator on the bridge. OOD has the conn. Steering various courses at various speeds while enroute to Alava 7. 1028 commenced maneuvering to go alongside the pier. 1031 Moored portside to Berth Alava 7, U.S Naval Station, Subic Bay, Philippines with standard mooring lines doubled. Ships present include units of the U.S. Pacific Fleet and yard craft. SOPA is COMNAVBASE. 1039 Secured the Special Sea and Anchor detail.

R S Mason Lt(jg), USNR

12-16 Moored as before.

R S Mason, Lt(jg), USNR

16-20 Moored as before. 1800 set material condition Yoke (modified).

R S Mason, Lt(jg), USNR

20-24 Moored as before.

R S Mason, Lt(jg), USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R S Mason Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE TUES DAY (Day) 20 AUGUST (Date) (Month), 19 63

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	110	1	5	BKN	2980	80	78	8	800	SC			
02	—	—	7	BKN	2981	79	77	8	800	SC			
03	—	—	7	BKN	2981	80	78	7	800	SC			
04	—	—	7	BKN	2980	80	78	7	800	SC			
05	100	1	10	BKN	2981	81	79	8	800	SC			
06	110	1	10	BKN	2982	83	80	6	1000	SC			
07	120	2	10	BKN	2981	85	81	6	1400	SC			
08	120	2	10	SCT	2981	86	82	5	1400	CU			
09	130	4	10	SCT	2981	87	83	5	1400	CU			
10	140	4	10	SCT	2980	88	84	4	1400	CU			
11	140	3	10	SCT	2980	89	85	4	1400	CU			
12	140	3	10	SCT	2979	89	85	4	1400	CU			
13	140	3	10	SCT	2979	90	86	3	1400	CU			
14	130	3	10	SCT	2979	90	86	3	1400	CU			
15	130	4	10	SCT	2979	90	86	3	1400	CU			
16	130	5	10	SCT	2978	89	85	3	1400	CU			
17	130	6	10	SCT	2978	89	85	3	1400	CU			
18	120	6	10	SCT	2977	87	83	3	1400	CU			
19	120	5	10	SCT	2977	86	82	3	1400	CU			
20	110	4	7	SCT	2977	84	80	3	1400	CU			
21	110	4	7	SCT	2977	82	78	3	1400	CU			
22	100	3	7	SCT	2978	80	76	3	1400	CU			
23	100	3	7	SCT	2978	78	75	3	1000	CU			
24	105	3	7	SCT	2978	77	75	3	800	CU			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: 1.

FUEL CONSUMED 0000–2400: 398

REMARKS

00-04. MOORED PORT SIDE TO ALAVA 7, U.S. NAVAL STATION, SUBIC BAY, P.I. WITH STANDARD MOORING LINES doubled. Receiving FRESH WATER AND telephone SERVICES FROM THE pier. MATERIAL CONDITION YOKE (Modified) IN SET. SHIPS PRESENT include VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND SMALL CRAFT. SOPA IS COMNAVBASE.

R D Mason, Sltg, USNR

~~00~~ 04-08 MOORED AS BEFORE. MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE

R D Mason, Sltg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason Sltg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 20 (Date) AUGUST (Month), 19 43

08-12 moored as before. 0915 made daily inspection of magazines and Smokless powder samples. Conditions: Normal. 0945 divers in the water and commenced clearing sea suction strainer inlets. 1115 divers aboard, completed diving operations.

Jal Hollis. CWO.2, USN

12-16 moored as before.

Jal Hollis. CWO,2- USN

16-20 moored as before. 1200 pursuant to the orders of the commanding officer, Brooks, Harold E 520-08-71 EM2, USN left the ship to report to Shore patrol Headquarters for temporary duty on shore patrol. 1800 set material condition yoke (modified) 1905 mustered the duty inport fire party, absentees: none.

Jal Hollis. CWO.2, USN

20-24 moored as before.

Jal Hollis CWO-2, USN

APPROVED: CC Reed Lt U.S.N. COMMANDING

EXAMINED: R. J. Bacon, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -8-H DATE WEDNESDAY (Day) 21 (Date) AUGUST (Month), 1963

AT/~~PASSAGE~~ FROM SUBIC BAY, P.I. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	105	3	7	SCT	2978	77	75	3	800	cu			
02	100	3	7	SCT	2978	77	75	2	800	cu			
03	100	2	7	SCT	2977	77	75	3	800	cu			
04	105	3	~~SCT~~ 7	SCT	2976	79	77	3	~~800~~	cu			
05	105	3	~~SCT~~ 7	SCT	2976	79	77	3	~~800~~	cu			
06	105	2	~~BKN~~ 7	SCT	2976	78	76	5	~~800~~	sc			
07	105	2	~~BKN~~ 7	BKN	2977	78	76	9	~~800~~	sc			
08	115	1	10	BKN	2977	79	76	8	1000	sc			
09	125	1	10	BKN	2977	80	77	8	1000	sc			
10	140	1	10	BKN	2977	83	80	7	1000	sc			
11	170	2	10	BKN	2977	85	81	7	1400	sc			
12	180	2	10	BKN	2977	86	82	7	1400	sc			
13	200	2	10	BKN	2977	87	83	7	1400	sc			
14	210	3	10	BKN	2977	88	83	7	1400	sc			
15	210	3	10	BKN	2976	88	84	7	1400	sc			
16	230	2	10	BKN	2976	87	83	5	1400	sc			
17	240	3	10	BKN	2976	86	82	6	1400	sc			
18	240	2	10	BKN	2976	84	80	5	1400	sc			
19	245	1	10	SCT	2976	82	80	5	800	cu			
20	250	1	10	SCT	2976	82	80	5	800	cu			
21	260	2	10	SCT	2975	81	79	4	800	cu			
22	260	3	10	SCT	2976	80	78	3	800	cu			
23	250	1	10	SCT	2976	78	76	~~3~~ 2	800	cu			
24	—	—	10	CLR	2977	78	76	—	—	—			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 394

REMARKS

00-04 moored port side to Alava Seven (A-7) berth, U.S. Naval Station, Subic Bay, P.I. with standard mooring lines doubled. Receiving fresh water and telephone services from the pier. Material condition yoke (modified) set. Ships present include various units of the U.S. Pacific Fleet, Republic of the Philippine navy, district and small craft. S.O.P.A. is Com NAV Base, Subic Bay, P.I. 00 5H Brooks, Harold E, 532-05-71, EM2, USN returned to the ship having completed temporary duty on shore patrol.

J.D. Hollis, CWO-2, USN

04-08 moored as before. 0745 mustered the crew at Quarters. absentees: None.

J.D. Hollis, CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: D.V. Moser, Lt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96

Wednesday (Day) 21 (Date) August (Month) 1963

08-12 Moored as before. CTF 76 assumed duties as SOPA Subic Bay I.D. 1144 Made daily inspection of magazines and smokeless powder samples, conditions normal.

Wm Turner Ens USNR

12-16 Moored as before. 1530 Pursuant to orders of the Commanding Officer Kite DW 586 1996 ENS USN. left the ship to report to senior shore patrol officer ~~Olongapo~~ Subic Bay Naval Base for TAD.

Wm Turner Ens USNR

16-20 Moored as before. 1800 Set material condition modified Yoke throughout the ship.

Wm Turner Ens USNR

20-24 Moored as before.

Wm Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Jason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -8H DATE Thursday (Day) 22 (Date) August (Month), 1963

AT/PASSAGE FROM Subic Bay PI TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	2977	78	76	—	—	—			
02	—	—	10	CLR	2977	78	76	—	—	—			
03	—	—	10	CLR	2977	78	76	—	—	—			
04	—	—	10	CLR	2975	77	75	—	—	—			
05	—	—	10	CLR	2975	77	75	—	—	—			
06	—	—	10	CLR	2975	77	76	—	—	—			
07	—	—	10	CLR	2976	80	78	—	—	—			
08	—	—	10	CLR	2976	81	79	—	—	—			
09	250	4	10	SCT	2976	83	79	4	1400	CU			
10	250	4	10	SCT	2977	85	79	4	2100	CU			
11	240	3	10	SCT	2978	86	80	5	2100	CU			
12	230	2	10	BKN	2978	86	80	7	2100	CU			
13	210	3	10	BKN	2977	86	80	7	2100	CU			
14	190	4	10	BKN	2977	86	80	7	2100	CU			
15	180	5	10	BKN	2976	86	80	7	2100	CU			
16	150	4	10	BKN	2975	86	80	7	2100	CU			
17	120	4	10	BKN	2976	85	79	7	2100	CU			
18	100	4	10	BKN	2976	85	79	7	2100	CU			
19	090	4	10	BKN	2976	83	78	7	1750	CU			
20	090	4	~~10~~	BKN	2976	83	78	7	1750	CU			
21	090	1	10	SCT	2978	83	78	2	1750	CU			
22	095	1	10	SCT	2980	80	78	2	800	CU			
23	095	1	10	SCT	2981	80	78	2	800	CU			
24	095	1	10	SCT	2981	80	79	2	400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 21.0

FUEL CONSUMED 0000-2400: 700

REMARKS

00-04-08 Moored portside to berth Alaya Seven Subic Bay PI. using four standard mooring lines. Receiving: fresh water steam, electrical power and telephone service from the pier. Ships present include include various units of US Pacific Fleet, various yard and district small craft. Material condition modified Yoke is set. SOPA is CTF-76. 0100 Kite P. Up 386 1196 ENS USN returned to the ship having completed TAD on shore patrol.

Thurman Ellard

04-08 Moored as before. 0645 Mustered crew on stations absentees: Doupe A 933 01 58 AM USN unauthized. ABSENTEE SINCE 0630 THIS DATE. 0655 Set special sea and anchor detail. Captain and Navigator on the bridge. OOD, Mess Cook. Draft 13'9" forward 16'3" Aft. 0712 Maneuvering to clear berth, underway in accordance with permission of Flot training Group to Conduct competitive exercises. 0719 Steering various courses at various speeds

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: P D Rosen Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Thursday (Day) 22 (Date) August (Month), 1963

04-08 (Cont'd), to conduct exercise Z-5-N and arrive at ~~buoy~~ anchorage nineteen (19).

Thurmon Tumlinson Ens USN

08-12. Underway as before. 0829 Made daily inspection of magazines and smokeless powder samples Condition Normal. 0856 Captain has the Conn, maneuvering at various courses at various speeds to lower work boat and put it in the water. Secured from Z-5-N. 0938 Commenced Z-40-S using buoy 24 as simulated stranded ship. 1123 Secured from exercise Z-40-S. 1126 Set the regular underway watches, secured special Sea and Anchor detail. Steering various courses at various speeds to conduct damage control drills and remain in Subic Bay.

Thurmon Tumlinson Ens USN

12-16 Underway As Before. 1201 C/C To 231° 1206 C/C To 232° 1300 Exercised Crew At General Quarters. 1320 C/S To 3.3 Kts. 1328 C/C To 012° 1339 C/S To 6.7 Kts. 1344 C/C To 020° C/S To 9.5 Kts. 1350 C/S To 10.3 Kts. 1414 Stationed Special Sea And Anchor Detail Captain And Navigator On The Bridge. OOD Has The Conn. Maneuvering On Various Courses And Speeds To Conform With Subic Bay Channel And Moor In Berth Alava Seven Subic Bay, R.P.I. 1432 Moored Port Side To In Berth Alava Seven With Standard Mooring Lines Doubled. SOPA is CTF 76 in USS Princeton (LPH-5) 1440 Days, A(W) 933-15-08 QM1 USN Returned On Board UA Since 0830 22 August 1963. 1614

L E Horton
LTJG USN

16-20 Moored As Before. 1635 YTB 182 Delivered Target Sled 60-577 Alongside To Starboard. 1708 Pursuant To The Commanding Officers Orders. Arnold, Loren G. 593 08 13 EN3 USN Departed This Ship For TAD As Shore Patrol. 1800 Set Material Condition Yoke Modified.

L E Horton
LTJG USN

20-24 Moored As Before

L E Horton
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -8 DATE FRIDAY (Day) 23 (Date) AUGUST (Month), 19 63

AT/~~PASSAGE~~ FROM SUBIC BAY R.P.I. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	095	1	7	SCT	2982	79	78	4	400	CU			
02	040	2	7	SCT	2982	79	78	4	400	CU			
03	040	3	7	SCT	2982	80	78	4	800	CU			
04	040	3	8	SCT	2980	80	78	4	800	CU			
05	060	3	10	SCT	2980	81	78	4	1000	CU			
06	080	3	10	SCT	2980	83	78	3	1400	CU			
07	100	3	10	SCT	2981	85	81	4	1400	CU			
08	120	4	10	SCT	2981	86	82	3	1400	CU			
09	130	4	10	SCT	2981	87	83	4	1400	CU			
10	170	4	10	SCT	2981	87	83	4	1400	CU	85	CA	LM
11	180	4	10	SCT	2982	87	83	4	1400	CU	85	CA	LM
12	180	5	10	SCT	2982	87	82	5	1750	CU	85	CA	LM
13	180	5	10	BKN	2982	86	81	6	1750	CU	85	CA	LM
14	190	5	10	BKN	2981	86	81	6	1750	CU	85	CA	LM
15	190	5	10	BKN	2979	86	81	7	1750	SC	85	200	1
16	200	5	10	BKN	2978	86	81	8	1750	SC	85	200	1
17	200	4	10	BKN	2978	86	83	8	1000	SC			
18	200	4	10	BKN	2980	85	84	8	1000	SC			
19	210	3	10	BKN	2980	84	83	8	1000	SC			
20	215	2	10	BKN	2981	83	82	7	1000	SC			
21	210	2	10	SCT	2981	81	80	5	1000	SC			
22	210	1	10	SCT	2980	80	79	5	1000	SC			
23	210	1	10	SCT	2980	79	78	4	1000	SC			
24	200	1	10	SCT	2980	78	77	4	400	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 14-41.2N		BY 3
λ 120-02.5E		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 86.0

FUEL CONSUMED 0000-2400: 723

REMARKS

0000-0004 MOORED PORT SIDE TO IN BERTH ALAVA SEVEN, U.S. NAVAL STATION SUBIC BAY R.P.I. WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE MODIFIED SET. RECEIVING FRESH WATER, STEAM, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, R.P.I NAVY YARD AND SMALL CRAFT. SOPA IS CTF-76 EMBARKED IN USS PRINCETON (LPH-5). 0130 ARNOLD, J.G. 593-08 13 ENS USN RETURNED ON BOARD TERMINATING TAD AS SHORE PATROL.

J.E. Slaton
LTJG USN

0400-0800 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS; ABSENTEES: NONE.

J.E. Slaton
LTJG USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 23 (Date) August (Month), 1963

08-12 Moored as before: 0840 made daily inspection of Magazines & Smokeless powder samples, conditions normal. Made Weekly test of Spray Magazine Sprinkling System. Test satisfactory. 0925 commenced preparations for getting underway. Set material condition yoke (Modified). 0940 set the Special Sea and anchor detail. 0950 Completed all preparations for getting underway. draft forward 13' 11", aft. 16' 6". 0959 underway for local op area Bravo 2 with series 60 sled in tow in accordance with Com Seventh Fleet Quarterly op order schedule of first Fiscal Quarter 1964. Captain and Navigator on the bridge. OOD has the Conn. Commenced steering various courses and speeds while clearing the pier and streaming sled. 1008 steady on course 270°, speed 9.5 Kts. 1009 sled streamed to 200 ft. 1011 C/S 10.8 Kts. 1012 C/C 265°; 1013 C/S 11.3 Kts. 1015 C/S 11.8 Kts. 1017 C/S 12.3 Kts 1019 C/C 231°; 1036 C/C 195°, 1051 sled recvd to 900 ft. 1102 C/C 259°, secured the Special sea and anchor detail. Clear of the inner Harbor. 1106 C/S 9.5 Kts. 1108 C/S 6.7 Kts. 1110 C/S 9.5 Kts. 1111 C/S 12.3 Kts. 1124 C/C 262°, 1136 C/S 9.5 Kts.

J. L. Hollis, CWO2, USN

12-16 Underway as before: 1243 C/S 6.7 Kts. 1244 veered sled to 3600 Feet. 1248 C/S 3.3 Kts. 1309 C/C 215°, 1312 C/C 240°; C/S 6.7 Kts. 1319 USS Mansfield (DDG-728) assumed OCE for exercise 2-21-G. 1353 C/C 060°, 1354 C/S 9.5 Kts. 1356 C/S 11.3 Kts. 1358 C/S 12.8 Kts. 1400 USS MANSFIELD (DDG-728) Commenced Exercise 2-21-G. 1450 C/C 240°. 1504 Completed exercise with USS Mansfield (DDG-728). C/S 3.3 Kts. 1515 C/S 9.5 Kts. 1535 USS TOWERS (DLG-9) 1548 Lt(jg) Horton has the Conn.

R. J. Turner Ens USN

16-18 Underway as before. 1612 USS TOWERS (DLG-9) completed exercise 2-21-G. maneuvering to reverse course. 1613 12.3 Kts. 1621 C/S 5.2 Kts. 1626 USS TOWERS (DLG-9) Commenced Exercise 2-23-G. 1631 C/S 9.5 Kts. C/C 040°; 1632 C/S 12.3 Kts. 1633 C/C 060°; 1650 C/C 240°; 1652 C/S 9.5 Kts. C/S 12.3 Kts. 1655 C/C 220°, 240°; 1701 completed 2-23-G exercise with USS TOWERS (DLG-9). Released by OCE to proceed on assignment. 1703 C/C 068°; 1713 C/S 9.5 Kts. 1714 C/S 6.7 Kts. 1716 C/S 9.5 Kts. 1723 C/S 6.7 Kts. 1725 CWO2, Hollis has the Conn. 1731 C/S 9.5 Kts. 1733 C/S 11.8 Kts. 1737 C/S 12.3 Kts.

L E Horton

LTJG USN

18-20 Underway as before. 1818 observed sunset, Turned on all navigation lights. 1834 C/C 057°, Target at 900 Feet. 1856 C/C 008°, 1901 C/C 012°, set the anchor detail, C/S 9.5 Kts. 1910 target heaved in to 300 Ft. C/S 6.7 Kts. 1915 target at 150 feet. 1920 C/C 053°, 1921 C/S 7.7 Kts. 1923 C/S 8.9 Kts. 1924 C/S 10.1 Kts. 1925 entering Subic Bay Harbor, set the Special

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: P S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY	WEATH-ER	BAROM-ETER	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)	(Miles)	(Sym-bols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 23 (Date) August (Month), 19 63

18-20 (Continued) sea and anchor detail. OOD has the conn, the Captain and navigator on the bridge. 1931 c/s 11.3 Kts, commenced maneuvering on various courses ~~and~~ at various speeds conforming with Subic Bay Channel & Harbor 1947 target Smoked up to the stern. 1948 the Captain has the conn. commenced maneuvering to go along the pier. Jal #

J. L. Hollis. CWO, 2, USN

20-24 Maneuvering as before. 2006 moored port side to berth Alava Seven (A-7) U.S. naval station Subic Bay, P.I. with standard mooring lines doubled. 2010 secured the special sea and anchor detail, set the regular inport watch. 2020 draft forward 13'5" aft 16'5".

J. L. Hollis CWO 2, USN

20-24 (CONTINUED) MOORED AS BEFORE.

D. D. Mason, Lt(jg), USNR

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: D. D. Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki CATF-8C ZONE DESCRIPTION -8H DATE SATURDAY 24 August, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	2	10	SCT	2980	79	78	3	400	Sc			
02	210	2	10	SCT	2980	79	78	4	400	Sc			
03	220	2	10	SCT	2980	79	78	4	400	Sc			
04	225	1	10	SCT	2980	80	79	4	400	CU			
05	225	1	10	BKN	2980	80	79	6	400	CU			
06	225	1	10	BKN	2980	80	79	6	400	CU			
07	220	1	10	BKN	2979	82	80	6	800	CU			
08	220	1	10	BKN	2979	82	80	6	800	CU			
09	220	1	10	OVC	2977	84	82	10	800	CU			
10	225	1	10	BKN	2977	84	82	9	800	CU			
11	230	2	7	R	2977	85	84	10	400	CU			
12	230	2	7	R	2977	85	84	10	400	CU			
13	235	2	7	R	2977	86	85	10	400	CU			
14	235	2	7	L	2977	86	84	10	800	CU			
15	240	2	7	L	2977	85	81	10	1400	CU			
16	240	3	7	L	2977	84	80	10	1400	CU			
17	245	2	10	SCT	2977	83	79	4	1400	CU			
18	245	2	10	CLR	2977	80	78	0	—	—			
19	250	3	10	CLR	2977	79	77	—	—	—			
20	—	—	10	CLR	2976	78	77	—	—	—			
21	—	—	9	CLR	2976	78	77	—	—	—			
22	—	—	9	CLR	2976	78	77	—	—	—			
23	—	—	9	CLR	2976	78	77	—	—	—			
24	—	—	9	CLR	2976	78	77	—	—	—			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 184

REMARKS

00-04
Moored port side to Berth Alava 7, U.S. Naval Station, Subic Bay, P.I with STANDARD Mooring lines doubled. Material condition Yoke (Modified) is set. Receiving Fresh water, steam, Electric, and Telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, Philippine Navy, Yard and small craft. SOPA is CTF-76 embarked USS Princeton (LPH-5).

R S Thom, Stgt, USNR

04-08. Moored as before. 0745 Mustered the crew at quarters.
Absentees: None

R S Thom, Stgt

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Thom Stgt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY 24 AUGUST 63
(Day) (Date) (Month)

0800 ~~held~~ commenced Commanding Officers personnel inspection. 0820 signed from commanding officers personnel inspection. 0840 the commanding officer held mast and imposed non-judicial punishment as follows: Richardson, D. G., 353 64 77, SN, USN offense: violation of art. 86 UCMJ, UA from 2400 8-19-63 to 0535 8-20-63, a period of five (5) hours and thirty five (35) minutes. punishment: Extra duties of two (2) hours a day for six (6) days. 0908 made daily inspection of magazines and fusibles powder samples. Conditions: Normal.

J.L. Hollis, CWO-2, USN

12-16 moored as before; 1250 pursuant of the orders of the Commanding officer, Howell, Gary R., 493-16-58, IC2, USN left the ship to report to shore patrol Headquarters for temporary duty.

J.L. Hollis, CWO-2, USN

16-20 moored as before; 1800 set material condition yoke (modified).

J.L. Hollis, CWO-2, USN

20-24 moored as before;

J.L. Hollis, CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Mason, Stgj U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -8-H DATE SUNDAY (Day) 25 (Date) AUGUST (Month), 19 63

AT/~~PASSAGE FROM~~ SUBIC BAY, P.I. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	CLR	2976	78	77	—	—	—			
02	—	—	10	CLR	2977	77	76	—	—	—			
03	—	—	10	CLR	2977	77	75	—	—	—			
04	—	—	10	SCT	2977	78	75	3	1000	Sc			
05	—	—	10	SCT	2976	80	77	3	1000	CU			
06	070	1	10	SCT	2976	83	80	3	1000	CU			
07	060	2	10	SCT	2977	85	82	4	1000	CU			
08	040	1	10	SCT	2976	86	83	4	1000	CU			
09	030	2	10	SCT	2974	88	85	5	1000	CU			
10	020	2	10	BKN	2973	88	85	6	1000	CU			
11	010	2	10	BKN	2971	88	85	6	1000	CU			
12	010	2	10	BKN	2970	87	84	7	1000	Sc			
13	000	3	10	BKN	2969	87	84	8	1000	Sc			
14	350	3	10	BKN	2968	87	84	7	1000	Sc			
15	345	3	10	BKN	2967	85	82	8	1000	Sc			
16	345	3	7	BKN	2967	83	80	9	1000	Sc			
17	345	3	7	BKN	2968	83	80	9	1000	Sc			
18	—	—	7	BKN	2968	82	80	9	800	Sc			
19	—	—	7	BKN	2968	82	80	7	800	Sc			
20	—	—	10	BKN	2967	82	80	7	800	Sc			
21	350	1	10	BKN	2967	81	79	7	800	Sc			
22	350	1	10	BKN	2967	80	78	7	800	Sc			
23	350	1	10	BKN	2968	79	77	6	800	Sc			
24	—	—	10	BKN	2968	77	75	6	800	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

00-04 moored port side to berth Alava Sven (A-7) U.S. Naval Station Subic Bay, P.I. with standard mooring lines doubled Condition yoke (modified) set. Receiving steam, potable water Electrical and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, Republic of the Philippines Navy, District + Small Craft. S.O.P.A. is CTF-76 aboard USS Princeton (LPH-5). 0057 Howell, Gary R. 493-16-58, IC2, USN returned to the ship having completed temporary duty on shore patrol.

J. L. Hollis. CWO 2, USN

04-08 moored as before. 0800 mustered the crew on Stations absentee: none.

J. L. Hollis. CWO 2, USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: D S Mac Hyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96

~~25~~ Sunday 25 August 19 63
(Day) (Date) (Month)

08-12 Moored as before. 0925 made daily inspection of magazine and smokeless powder ~~samples~~ samples. Conditions normal.

Wm Turner Ens USNR

12-16 Moored as before. Pursuant to orders of the Commanding Officer Greene James B 5226910 EM3 left the ship to report to Senior Shore Patrol Officer Subic Bay P I for TAD.

Wm Turner Ens USNR

16-20 Moored as before. 1800 Set material condition Modified "yoke".

Wm Turner Ens USNR

20-24 Moored as before.

Wm Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Mason Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -9I DATE ~~SUNDAY~~ MONDAY 26 AUGUST , 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM Subic Bay P.I. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	—	—	10	BKN	2968	77	75	6	800	Sc			
02	—	—	10	BKN	2968	78	76	6	800	Sc			
03	—	—	10	BKN	2969	78	76	6	800	Sc			
04	060	2	10	BKN	2969	78	76	6	800	Sc			
05	060	3	10	BKN	2969	80	77	6	1000	Sc			
06	065	3	10	BKN	2970	82	79	6	1000	Sc			
07	070	5	10	BKN	2970	84	81	6	1000	Sc			
08	070	5	10	BKN	2970	86	83	6	1000	Sc			
09	070	7	10	BKN	2970	88	85	7	1000	Sc	85	CALM	
10	060	4	10	BKN	2969	88	85	7	1000	Sc	85	CALM	
11	060	4	10	BKN	2969	89	85	7	1400	Sc	85	CALM	
12	050	4	10	BKN	2968	89	85	7	1400	Sc	85	CALM	
13	050	3	10	BKN	2967	89	85	7	1400	Sc	85	CALM	
14	040	3	10	BKN	2967	88	85	7	1400	Sc	85	CALM	
15	040	4	10	BKN	2966	89	85	7	1000	Sc	85	CALM	
16	040	3	10	BKN	2966	88	85	7	1000	Sc	85	CALM	
17	030	4	10	BKN	2966	87	84	7	1000	Sc	85	CALM	
18	030	4	10	BKN	2965	86	83	7	1000	Sc	85	CALM	
19	020	5	10	BKN	2966	85	82	7	1000	Sc	85	CALM	
20	020	4	10	BKN	2966	85	83	7	800	Sc	85	CALM	
21	025	3	10	BKN	2965	84	82	7	800	Sc	85	CALM	
22	030	3	10	BKN	2965	84	82	7	800	Sc	85	CALM	
23	020	3	7	BKN	2965	83	81	7	800	Sc	85	CALM	
24	025	3	6	BKN	2965	84	82	7	800	Sc	85	CALM	

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 14-48.3 N		BY 3
λ 119-42.3 E		BY 3
2000		
L 16-25.1 N		BY 2+3
λ 119-37.8 E		BY 2+3

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 205.5

FUEL CONSUMED 0000-2400: 15'65

REMARKS

00-04. Moored port side to berth Alava seven (A-7) Subic Bay P.I. with standard mooring lines doubled. Receiving steam electrical power fuel water and telephone service from the pier. Ships present include various units of the US Pacific Fleet and yard and district small craft. Material condition Yoke modified ISOPA is CTF-76. 0037 Steve James P 522 69 10 EM3 USN returned to the ship having completed temporary additional duty as shore patrol

Steve James EM3 USN

04-08 Moored as before 0728 Mustered crew on stations absentees none. 0730 Commenced making preparation to get underway. 0739 Set special sea and anchor detail. 0743 Captain and Navigator on the bridge. OOD has the Conn. 0753 Underway ~~for~~ R2

APPROVED:

CC Reed Lt. U.S.N. COMMANDING

EXAMINED:

RD Nasen Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 ~~26~~ MONDAY 26 AUG. 1963 (Day) (Date) (Month)

04-08 (cont) In accordance with Com Seventh Flt Quarterly ops schedule ~~to~~ for Iwakuni Japan. Steering various courses and speeds to clear buoys and channel. Instruments JOH

08-12 Underway as before. ~~0805~~ 0807 c/s 9.5 kts. 0807 c/c 266°, 0809 secured the special sea detail & set Underway watch. 0814 c/c 234°, 0821 ~~CWO2~~ OOD Has the comn. 0823 c/s 11.0 kts. c/c 233°, 0829 c/c 193°, 0837 Secured JOH anchor detail passed into open seas. 0849 c/c 259°, c/s 8.9 kts. 1015 made daily inspection of Magazine & Smokeless powder samples, Condetions Normal. 1030 Exercised the Crew at General Quarters - 1031 Evs. Horton has the comn. 1037 Commenced Maneuvering on various courses & speeds while conducting Exercise 2-23-G. 1116 secured from General drills & Exercise 2-23-G expended 24 Rounds of 3"/50 ammunition. Commenced maneuvering to pick up Target sleeve. 1129 OOD has the comn. Course 348°, speed, 11.3 kts.

Jack Hollis. CWO-2-USN

12-16 underway as before 1520 c/s to 11.1 KTS

C L Mann BM1 USN

16-18 Underway As Before.

F E Horton
LT JG USN

18-20 UNDERWAY AS BEFORE 1921 C/C 017° T

F H Osborne BMCA USN

20-24 underway as before. 2245 lost sight of Pilot-point light. Bearing 177°, distance, approximately 26 miles.

J. L. Hollis CWO2, USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: D D Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION -8 DATE TUESDAY (Day) 27 (Date) AUGUST (Month), 19 63

AT/PASSAGE FROM SUBIC BAY R.P.I. TO IWAKUNI, JAPAN

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	025	3	6	BKN	2965	84	82	7	800	Sc	85	CALM	
02	025	3	6	BKN	2964	84	82	6	800	Sc	85	CALM	
03	025	3	5	BKN	2964	83	81	6	800	Sc	85	CALM	
04	020	3	7	4/SCT	2964	84	80	4	1400	Sc	85	CALM	
05	020	3	7	4/BKN	2964	84	80	6	1400	Sc	85	CALM	
06	085	9	10	BKN	2965	85	81	9	1400	Sc	85	020	1
07	065	7	10	OVC	2965	85	81	10	1400	Sc	85	020	1
08	065	11	10	OVC	2968	84	81	10	1000	Sc	85	020	1
09	065	11	10	OVC	2967	85	82	10	1000	Sc	85	020	2
10	035	18	10	OVC	2964	85	83	10	800	Sc	85	080	2
11	035	18	10	OVC	2964	86	84	10	800	Sc	85	080	2
12	035	15	10	BKN	2968	87	84	9	1000	Sc	85	035	2
13	035	15	10	BKN	2967	87	84	7	1000	Sc	85	035	1
14	040	14	10	BKN	2967	87	84	7	1000	Sc	85	040	2
15	040	14	10	BKN	2966	87	84	7	1000	Sc	85	040	2
16	040	15	10	BKN	2966	87	84	7	1000	Sc	85	040	2
17	040	16	10	BKN	2966	86	84	7	1000	Sc	85	070	4
18	075	18	10	BKN	2967	85	83	7	800	Ac/Sc	85	080	4
19	080	19	10	SCT	2969	85	83	4	800	Ac/Sc	85	080	4
20	080	19	10	SCT	2969	85	84	4	800	Ac/Sc	85	080	4
21	080	19	10	SCT	2969	85	84	4	400	Ac/Sc	85	080	4
22	080	20	10	SCT	2969	85	84	4	400	Ac/Sc	85	080	4
23	070	18	7	SCT	2971	84	83	5	400	Ac/Sc	85	070	3
24	060	16	8	BKN	2971	84	83	6	400	Ac/Sc	85	060	2

POSITION	ZONE	TIME
0800		
L 18-23.8 N	BY	3
λ 120-18.9 E	BY	3
1200		
L 19-10.2 N	BY	3
λ 120-39 E	BY	3
2000		
L	BY	4
λ	BY	4

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 285.5

FUEL CONSUMED 0000-2400: 2164

REMARKS

00-04 Steaming independently enroute from Subic Bay, P.I. to Iwakuni, Japan. IAW convening ltr. first Qrtly F.Y. 1964 operation Schedule. Base course 017° Base speed 11.1 KTS material condition yoke (modified) readiness condition X Eng condition III, D.C. condition III in ext.

C.E. Mann BM1 USN.

04-08 Underway As Before.

J.E. Horton
LTJG USN.

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: D.D. Mann Lt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) TUESDAY (Day) 27 (Date) AUG. (Month), 19 63

08-12 UNDER WAY AS BEFORE 0800 MUSTER ON STATIONS ABSENTEES NONE 0830 C/S 12.1 KTS. 0909 C/C 026° T 0945 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITIONS: NORMAL

F.F. Delorme BMCA USN

12-16 Underway as before: 1411 held loss of steering drill. 1416 secured degaussing. 1420 secured from loss of steering drill.

J.D. Hollis CWO2, USN

16-18 underway as before

C.E. Mann BM1 USN

18-20 Underway As Before. 1950 C/S 11.1 KTS.

T.E. Horton
LTJG USN.

20-24 UNDERWAY AS BEFORE 2255 C/C 045° T

F.F. Delorme BMCA USN

APPROVED: CC Reed Lt U.S.N. COMMANDING

EXAMINED: R.S. Mason, Jr Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION -8-H DATE WEDNESDAY (Day) 28 (Date) AUGUST (Month), 19 63

AT/PASSAGE FROM SUBIC BAY, P.I. TO IWAKUNI JAPAN

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	16	8	BKN	2971	84	83	7	400	Ac/Sc	85	060	2
02	040	17	8	BKN	2972	84	83	6	400	Ac/Sc	85	040	3
03	050	13	8	BKN	2972	85	83	6	800	Ac/Sc	85	040	2
04	050	13	9	BKN	2972	85	83	7	800	Sc	85	040	2
05	050	12	9	BKN	2972	85	82	8	1000	Sc	85	040	2
06	050	12	10	BKN	2972	85	82	8	1000	Sc	85	040	2
07	055	10	10	BKN	2973	86	83	7	1000	Sc	85	040	2
08	135	9	10	SCT	2976	87	84	4	1000	Ac/Sc	85	120	2
09	140	9	10	BKN	2976	88	84	6	1400	Ac/Sc	85	120	2
10	160	12	10	L	2977	90	85	7	1750	Ac/Sc	85	140	2
11	180	12	10	BKN	2976	90	85	6	1750	Ac/Sc	85	140	2
12	170	12	10	BKN	2976	92	86	8	2100	Ac/Sc	85	090	2
13	170	12	10	BKN	2975	91	86	8	1750	Ac/Sc	85	090	2
14	170	12	10	SCT	2972	92	86	5	2400	Ac/Sc	85	090	2
15	170	12	10	SCT	2972	96	86	4	3500	Ac/Sc	85	090	2
16	165	7	10	SCT	2972	97	86	3	3800	Sc	85	095	1
17	170	6	10	SCT	2972	98	86	3	4000	Sc	85	105	1
18	170	7	10	BKN	2972	94	86	6	2800	Sc	85	105	1
19	170	7	10	BKN	2972	92	87	6	1750	Sc	85	105	1
20	180	6	10	CLR	2974	89	85	—	—	—	85	170	1
21	180	6	10	CLR	2976	87	83	—	—	—	85	180	1
22	180	6	10	SCT	2976	86	83	3	1000	Cu	85	180	1
23	190	7	8	L	2977	85	84	8	400	ST	85	180	1
24	190	7	8	L	2976	85	83	8	800	ST	85	180	1

POSITION	ZONE	TIME
0800 L	22-44.5 N	BY 1
λ	122-34 E	BY 1
1200 L	23-34.0 N	BY 1
λ	122-58.5 E	BY 1
2000 L	25-55.5 N	BY 3
λ	124-04.0 E	BY 3

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 299

FUEL CONSUMED 0000-2400: 2137

REMARKS

00-04. Steaming Independantly from Subic Bay, P.I. to Iwakuni, Japan in accordance with COMSEVENTHFLT FIRST Quarter, F.Y.64 operation order. Base Course 026°; Base spd. 11.1 Kts. Material condition Yoke (modified) Set 0 Readiness condition IV, M-H Engineering Condition III and Damage Control Condition III. Steering Course 045°; spd 11.1 Kts. 015H C/C 026°.

J.L. Hollis. CWO2 USN

04-08 underway as before

C.E. Mann BM1 USN

APPROVED: C.C. Reed LT U.S.N. COMMANDING

EXAMINED: R.R. Nasers Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96) WEDNESDAY (Day) 28 (Date) AUG (Month), 19 63

ØØ-12 Underway As Before. ØØØØ Mustered Crew On Stations; Absentees None. Ø841 Made Daily Inspection of Magazines And Smokless Powder Samples: Conditions Normal

J.E. Stanton
LTJG USN

12-16 UNDER WAY AS BEFORE

F.M. Delaune BMCA USN

16-18 Underway as before: 1650 c/c 051°,

J.L. Hollis. CWO2, USN

18-20 underway as before 1900 C/S to 11.1 KTS

C.E. Mann BM1 USN

20-24 Underway As Before.

J.E. Stanton
LTJG USN.

APPROVED: C.C. Reed Lt U.S.N. COMMANDING

EXAMINED: R.S. Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (AFT96) ZONE DESCRIPTION -9I DATE THURSDAY (Day) 29 (Date) AUGUST (Month), 19 63

AT/PASSAGE FROM SUBIC BAY, P.I. TO IWAKUNI, JAPAN

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	190	7	8	SCT	2975	85	83	2	800	ST	85	180	1
02	190	7	8	SCT	2975	85	83	2	800	ST	85	180	1
03	190	7	8	SCT	2975	85	83	2	800	ST	85	180	1
04	185	5	8	SCT	2974	86	83	2	1000	ST	85	180	1
05	185	6	8	SCT	2974	86	83	2	1000	ST	85	180	1
06	185	6	10	SCT	2975	87	84	2	1000	ST	85	180	1
07	185	6	10	SCT	2975	87	84	2	1000	ST	85	180	1
08	185	6	10	SCT	2976	88	84	4	1400	ST	85	180	1
09	190	6	10	SCT	2976	88	85	5	1000	ST	85	180	1
10	190	6	10	SCT	2977	88	85	5	1000	ST	85	180	1
11	190	6	12	BKN	2978	91	87	7	1400	ST/CU	85	200	1
12	200	11	10	SCT	2977	90	86	3	1400	AC/CU	85	200	1
13	230	11	10	SCT	2976	91	87	4	1400	AC/CU	85	200	1
14	230	11	10	SCT	2976	91	87	4	1400	AC/CU	85	200	11
15	220	11	10	SCT	2974	90	86	4	1400	AC/CU	85	200	1
16	170	11	10	SCT	2972	99	87	4	4200	AC/CU	85	200	1
17	170	11	10	SCT	2972	103	88	4	5000	AC/CU	85	200	1
18	165	6	10	SCT	2974	102	87	4	5000	AC/CU	85	200	1
19	170	6	10	SCT	2973	96	84	4	4200	AC/CU	85	200	1
20	170	6	10	SCT	2973	94	84	5	3600	AC	85	200	1
21	170	6	10	SCT	2974	91	84	5	2700	AC	85	200	1
22	175	6	10	SCT	2974	87	83	5	1400	AC	85	200	1
23	190	8	10	SCT	2974	86	83	4	1000	AC	85	200	1
24	230	10	10	SCT	2974	85	83	4	800	AC/CU	85	200	1

POSITION	ZONE	TIME
0800		
L 29-19.0 N	BY 1	
λ 126-03.0 E	BY 1	
1200		
L 26-48 N	BY 3	
λ 126-42.8 E	BY 3	
2000		
L 27-48.3 N	BY 2+3	
λ 128-12.3 E	BY 2+3	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 289.5

FUEL CONSUMED 0000-2400: 1978

REMARKS

00-04 STEAMING INDEPENDENTLY ENROUTE FROM SUBIC, BAY, P.I. TO IWAKUNI, JAPAN. IN ACCORDANCE WITH COM SEVENTH FLT. FIRST QUARTER F.Y. 1964 OPERATION SCHEDULE. BASE COURSE 051 °T BASE SPEED 11.1 KTS. MATERIAL CONDITION YOKE (MODIFIED) READINESS CONDITION ~~IV~~ ENGINEERING CONDITION III DAMAGE CONTROL CONDITION ~~III~~ ARE SET 0001 SET CLOCKS AHEAD ONE HOUR TO CONFORM WITH -9 INDIA ZONE TIME

H H Lorme BMCA USN

04-08 Underway as before. 0745 mustered the crew at Quarters. Absentees: None. Tested the ship whistle, Siren, General & Chemical alarms, Test, Satisfactory

Jd Hallis. CWO2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nase Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 THURSDAY (Day) 29 (Date) AUG (Month), 19 63

08-12 underway as before ~~4~~ 08A 0847 made daily inspection of magazines and smokeless powder samples; conditions normal

✓ C E Mann BM1 USN

12-16 Underway As Before. 1558 C/S To 11.8 Kts

J E Foster
LTJG USN.

16-18 UNDER WAY AS BEFORE

F H DeLoume BMCA USN

18-20 Underway as before. 1855 C/S 12.1 Kts.

J L Hollis, CWO2, USN

20-24 underway as before 2030 C/S to 045° 2211 sighted Sotsukozaki Lt. 065°

C E Mann BM1 USN

APPROVED: C C Read Lt. U.S.N. COMMANDING

EXAMINED: R S Nasen, LTjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION -9I DATE FRIDAY (Day) 30 (Date) AUG. (Month), 19 63

AT/PASSAGE FROM SUBIC, BAY P.I. TO IWAKUNI, JAPAN

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	230	10	10	SLT	2973	85	83	4	800	CU	85	220	1
02	235	10	15	SLT	2974	84	83	4	400	SC	85	220	1
03	200	8	5	R	2972	84	83	9	400	ST	85	200	1
04	200	8	5	OVC	2971	82	80	10	800	ST	85	200	1
05	200	8	5	OVC	2971	82	80	10	800	ST	85	200	1
06	200	8	5	OVC	2971	82	80	10	800	ST	85	200	1
07	200	8	10	OVC	2971	85	83	10	800	ST	85	200	1
08	200	7	10	OVC	2972	86	83	10	1000	ST	85	190	1
09	170	2	6	L	2973	79	78	10	400	ST	85	190	1
10	170	3	6	L	2973	79	78	10	400	ST	85	165	1
11	170	8	6	L	2972	79	78	10	400	ST	85	165	2
12	170	9	4	L	2972	79	78	10	400	ST	85	175	2
13	170	10	3	L	2971	78	77	10	400	ST	85	180	2
14	200	7	6	OVC	2970	80	78	10	800	ST	85	180	2
15	210	10	8	OVC	2968	82	79	10	1000	ST	85	180	2
16	235	9	7	OVC	2966	86	80	10	2100	ST	85	180	2
17	240	9	7	OVC	2965	86	80	10	2100	ST	85	180	2
18	240	9	8	OVC	2964	83	82	10	400	ST	85	180	2
19	240	9	8	OVC	2962	83	82	10	400	ST	85	180	2
20	220	6	8	OVC	2964	83	82	10	400	ST	85	180	2
21	220	7	8	OVC	2964	83	82	10	400	ST	85	180	2
22	210	6	8	OVC	2964	83	81	10	800	ST	85	180	2
23	210	6	8	OVC	2961	83	81	10	800	ST	85	180	2
24	200	6	8	OVC	2960	83	81	10	800	ST	85	180	2

POSITION	ZONE	TIME
0800		
L 29-34.5 N	BY	3
λ 130-22.1 E	BY	3
1200		
L 30-01.0 N	BY	2
λ 131-01.5 E	BY	2
2000		
L 31-36 N	BY	3
λ 131-50.8 E	BY	3

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 304

FUEL CONSUMED 0000-2400: 2199

REMARKS

0000 STEAMING INDEPENDENTLY ENROUTE FROM SUBIC BAY, R.P.I. TO IWAKUNI, JAPAN IN ACCORDANCE WITH COM SEVENTH FLT FIRST QUARTER FISCAL YEAR ~~63~~ OPERATION 1964 OPERATIONS SCHEDULE. BASE COURSE 045° BASE SPEED 12.1 KTS. MATERIAL CONDITION YOKE MODIFIED, READINESS CONDITION V, ENGINEERING CONDITION III, AND DAMAGE CONTROL CONDITION III SET. 0142 IDENTIFIED YOKATE SHIMA LIGHT BEARING 035° RANGE 16 MILES AND NASE KO LIGHT BEARING 107° RANGE 12 MILE.

J E Hooten
LTJG USN.

0400 UNDERWAY AS BEFORE 0745 TESTED SHIP'S WHISTLE SIREN GENERAL CHEMICAL AND STEERING ALARMS; TEST: SATISFACTORY 0750 MUSTER ON STATIONS ABSENTEES: NONE

J H Osborne BMCA USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D J Nasen, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 30 (Date) AUGUST (Month), 1963

0812. Underway as before: 0930 made daily inspection of magazine ~~temperatures~~ and smokeless powder samples. Conditions normal. Made weekly test of magazine flooding and sprinkling system. ~~Test~~ Satisfactory. 1037 C/S 11.1 Kts.

J.D. Hollis. CWO-2-USN

1216 underway as before 1216 C/C to 019° 1300 the commanding officer held mast and imposed the non Judicial punishment as follows. Paya anderson (N) 933-01-58 9 mn 1 USN offense AWOL from 0630 22 July 1963 to 0715 22 July 1963 a period of forty five minutes punishment. Restriction to the limits of the ship for (3) three days commencing 30 AUG 1963 offense: missing movement through neglect punishment: Reduced to next inferio rate. suspended for (6) six months and forfeiture of ten (10) dollars per day not to exceed fifty (50) dollars.

CE Mann BM1 USN

1626 UNDERWAY AS BEFORE.

F E Horton
LTJG USN

1820 UNDERWAY AS BEFORE 1840 SIGHTED TORI MISAKI LIGHT BEARING 280°T 1850 SIGHTED O'SHIMA LIGHT BEARING 290°T 1918 SIGHTED TOSAKI HANA LIGHT BEARING 310°T

F H Osborne BMCA USN

2024 underway as before: 2015 C/C 012° 2020 lost sight of O'shima light bearing 256°, range 23 miles. 2104 lost sight of Toi Misaki Light Bearing 227°, range 37 miles. 2111 C/S 11.1 Kts. 2145 lost sight of Tosaki Hana Light Bearing 247° Range 26 miles. 2213 C/S 12.1 Kts. 2258 Sighted Horoshima Ko light, Bearing 315°, range 22 miles.

JD Hollis. CWO-2, USN

APPROVED: CC Read LT. U.S.N. COMMANDING

EXAMINED: RS Mason, Lt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) SATURDAY (Day) 31 (Date) Aug (Month), 1963

16-20 Moored as before. 1800 Set material condition Yoke (Modified).

R S Mason, Slgn, USNR

20-24 Moored as before.

R S Mason, Slgn, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Slgn U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605



00BREAK00



00BREAK00

Document Separator

Used to Separate Each Transaction

00BREAK00



00BREAK00